ELSEVIER

Journal of Materials Processing Technology 164–165 (2005) 1650–1653

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Author Index of Volumes 162–165

Abou-El-Hossein, K.A., 596
Abrantes, J.P., 1140
Adamczyk, J., 267
Adamiak, M., 27, 843
Ahmad, M.M.H.M., 435
Ahmed, N., 649
Akkus, A., 1269
Akour, S.N., 1479
Aksoy, M., 862
Al-ameeri, S., 385
Alavi Nia, A., 1226
Al-Mazrouee, A., 964
Almeida, G.S.G., 236
Álvarez, M., 911
Ambrogio, G., 156, 454
Anžel, I., 220
Ancona, A., 971
Angelini, J.M.G., 102
Arif, A.F.M., 954
Arnold, G., 471, 1487
Azami, A.R., 1248
Azizi, R., 1226

Babitsky, V.I., 649
Bahrami, M., 39, 76
Baier, A., 1452
Bakhshi-Jooybari, M., 1572
Balič, J., 1327
Balic, J., 1281, 1309, 1379, 1416
Banerjee, M.K., 655
Bar, A., 461
Bar, O., 461
Barge, M., 1148
Baron, A., 940
Bartnicki, J., 1154, 1235
Bartocha, D., 465
Bartoszuk, M., 1204
Basile, G., 971
Bassim, M.N., 362, 385
Batalha, G.F., 1120, 1140
Bayraktar, E., 1487, 471
Bazoune, A., 1550
Becker, A.A., 673
Begović, E., 603
Belkhayat, A.P., 1544
Bell, J.M., 905
Benyounis, K.Y., 978, 986
Beom, H.G., 9
Bergheau, J.-M., 1148, 1197
Bernhart, G., 484
Bhargava, R.R., 1495
Biernacki, R., 1430
Binet, C., 1160
Bizjak, M., 220
Błażejewski, W., 65
Bobrek, M., 718
Böhm, R., 65
Bojar, Z., 46
Bonek, M., 1014
Bonney, J., 609
Brezočnik, M., 1327
Brezocnik, M., 1379
Broekel, J., 725
Brytan, Z., 286
Buchacz, A., 1277
Budak, I., 730
Byon, S.-M., 447

Çakır, O., 275, 862
Camacho, A.M., 551, 682, 1167
Camilotto, M., 1294
Capello, E., 990
Carrasquilla, J.F., 293
Carvalho, W., 1459
Cebulski, J., 4
Cho, C., 9
Cho, J.R., 504
Choi, E.Y., 9
Choi, S.-G., 1612
Cholewa, M., 1175, 1181
Chrobak, A., 203
Chrobak, D., 203
Chrzanowski, W., 163
Cieśla, M., 897
Ciupka, G., 1452
Clavería, I., 477
Colombo, D., 990
Contreras-Samper, J.P., 644
Cordi, L., 236
Cukor, G., 1624
Cunha, L., 816
Cus, F., 744, 1281, 1472, 1554
Ćwiek, J., 1007
Czechowski, M., 1001
Czulak, A., 65

Dabnun, M.A., 1289
Damoulis, G.L., 1120
Darvizeh, A., 1561
David, E., 169
de Jesus, R.C., 90
de Moura Giraldi, A.L.F., 90
De Napoli, L., 156
Delbos, J.-B., 1185
Delgado, M.L., 280
Dercz, G., 15
Dimla, D.E., 1294
Dinakaran, D., 519
Dobrzańska-Danikiewicz, A., 1301, 1388
Dobrzański, J., 785
Dobrzański, L.A., 1, 20, 27, 149, 230, 286, 785, 795, 805, 816, 822, 832, 843, 924, 1014, 1046, 1056, 1062, 1068, 1192, 1500, 1519, 1607, 1637
Dolata-Grosz, A., 33, 46
Dolinšek, S., 603
Domingo, R., 1167
Donati, L., 1025
Dour, G., 484
Drak, M., 795
Drstvenšek, I., 1327
Drstvensek, I., 1309, 1416
Dudek-Burlikowska, M., 736
Duran, N., 236
Dusserre, G., 484
Dybowski, K., 876
Dymarek, A., 1317
Dyzia, M., 127
Dzitkowski, T., 1317

Ekinović, S., 603
El-Baradie, M.A., 1289
El-Madhoun, Y., 362
Ezugwu, E.O., 609

Fadare, D.A., 609
Fakin, S., 777
Fang, J.C., 1032, 1644
Ferenc, J., 215
Fereshteh-Saniee, F., 39
Ferron, G., 1241
Feulvarch, E., 1197
Ficko, M., 1327, 1416
Filice, L., 156, 454
Filipič, B., 1343
Filipiak, J., 1263
Finlayson, T., 1099
Foit, K., 1336
Formanek, B., 15, 33, 46, 850, 930, 935

Gagliardi, F., 156
Gantar, G., 1343
García, C., 1351

Elsevier B.V.
doi:10.1016/S0924-0136(05)00362-6

ELSEVIER

Journal of Materials Processing Technology 164–165 (2005) 1650–1653

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Author Index of Volumes 162–165

Abou-El-Hossein, K.A., 596
Abrantes, J.P., 1140
Adamczyk, J., 267
Adamiak, M., 27, 843
Ahmad, M.M.H.M., 435
Ahmed, N., 649
Akkus, A., 1269
Akour, S.N., 1479
Aksoy, M., 862
Al-ameeri, S., 385
Alavi Nia, A., 1226
Al-Mazrouee, A., 964
Almeida, G.S.G., 236
Álvarez, M., 911
Ambrogio, G., 156, 454
Anžel, I., 220
Ancona, A., 971
Angelini, J.M.G., 102
Arif, A.F.M., 954
Arnold, G., 471, 1487
Azami, A.R., 1248
Azizi, R., 1226

Babitsky, V.I., 649
Bahrami, M., 39, 76
Baier, A., 1452
Bakhshi-Jooybari, M., 1572
Balič, J., 1327
Balic, J., 1281, 1309, 1379, 1416
Banerjee, M.K., 655
Bar, A., 461
Bar, O., 461
Barge, M., 1148
Baron, A., 940
Bartnicki, J., 1154, 1235
Bartocha, D., 465
Bartoszuk, M., 1204
Basile, G., 971
Bassim, M.N., 362, 385
Batalha, G.F., 1120, 1140
Bayraktar, E., 1487, 471
Bazoune, A., 1550
Becker, A.A., 673
Begović, E., 603
Belkhayat, A.P., 1544
Bell, J.M., 905
Benyounis, K.Y., 978, 986
Beom, H.G., 9
Bergheau, J.-M., 1148, 1197
Bernhart, G., 484
Bhargava, R.R., 1495
Biernacki, R., 1430
Binet, C., 1160
Bizjak, M., 220
Błażejewski, W., 65
Bobrek, M., 718
Böhm, R., 65
Bojar, Z., 46
Bonek, M., 1014
Bonney, J., 609
Brezočnik, M., 1327
Brezocnik, M., 1379
Broekel, J., 725
Brytan, Z., 286
Buchacz, A., 1277
Budak, I., 730
Byon, S.-M., 447

Çakır, O., 275, 862
Camacho, A.M., 551, 682, 1167
Camilotto, M., 1294
Capello, E., 990
Carrasquilla, J.F., 293
Carvalho, W., 1459
Cebulski, J., 4
Cho, C., 9
Cho, J.R., 504
Choi, E.Y., 9
Choi, S.-G., 1612
Cholewa, M., 1175, 1181
Chrobak, A., 203
Chrobak, D., 203
Chrzanowski, W., 163
Cieśla, M., 897
Ciupka, G., 1452
Clavería, I., 477
Colombo, D., 990
Contreras-Samper, J.P., 644
Cordi, L., 236
Cukor, G., 1624
Cunha, L., 816
Cus, F., 744, 1281, 1472, 1554
Ćwiek, J., 1007
Czechowski, M., 1001
Czulak, A., 65

Dabnun, M.A., 1289
Damoulis, G.L., 1120
Darvizeh, A., 1561
David, E., 169
de Jesus, R.C., 90
de Moura Giraldi, A.L.F., 90
De Napoli, L., 156
Delbos, J.-B., 1185
Delgado, M.L., 280
Dercz, G., 15
Dimla, D.E., 1294
Dinakaran, D., 519
Dobrzańska-Danikiewicz, A., 1301, 1388
Dobrzański, J., 785
Dobrzański, L.A., 1, 20, 27, 149, 230, 286, 785, 795, 805, 816, 822, 832, 843, 924, 1014, 1046, 1056, 1062, 1068, 1192, 1500, 1519, 1607, 1637
Dolata-Grosz, A., 33, 46
Dolinšek, S., 603
Domingo, R., 1167
Donati, L., 1025
Dour, G., 484
Drak, M., 795
Drstvenšek, I., 1327
Drstvensek, I., 1309, 1416
Dudek-Burlikowska, M., 736
Duran, N., 236
Dusserre, G., 484
Dybowski, K., 876
Dymarek, A., 1317
Dyzia, M., 127
Dzitkowski, T., 1317

Ekinović, S., 603
El-Baradie, M.A., 1289
El-Madhoun, Y., 362
Ezugwu, E.O., 609

Fadare, D.A., 609
Fakin, S., 777
Fang, J.C., 1032, 1644
Ferenc, J., 215
Fereshteh-Saniee, F., 39
Ferron, G., 1241
Feulvarch, E., 1197
Ficko, M., 1327, 1416
Filice, L., 156, 454
Filipič, B., 1343
Filipiak, J., 1263
Finlayson, T., 1099
Foit, K., 1336
Formanek, B., 15, 33, 46, 850, 930, 935

Gagliardi, F., 156
Gantar, G., 1343
García, C., 1351

Elsevier B.V.
doi:10.1016/S0924-0136(05)00362-6

Gawroński, J., 332
Gnatowski, A., 52
Góis, N.C., 102
Gołombek, K., 805
Gómez, B., 59
Gondal, M.A., 954
Gonzaga, R.A., 293
González, C., 1167
González, H.A., 696
Goodarzi, M., 492
Gordo, E., 59, 280
Gordon, S., 665
Gorji, A., 1572
Gorni, A.A., 298
Goryczka, T., 178
Grabowik, C., 1358
Grajcar, A., 267
Gramatyka, P., 242, 379
Grande, M.A., 286
Gronostajski, Z., 304
Grzesik, W., 1204
Gude, M., 65

Hajduczek, E., 1014
Hamdi, H., 1148, 1185
Hamouda, A.M., 435
Han, C.S., 524
Hanada, K., 856
Haneczok, G., 203
Haque, M.M., 312
Harada, Y., 498
Hashmi, M.S.J., 978, 986, 1289
Hatsukano, K., 856
Heaney, D.F., 1160
Hepner, M., 868
Hernas, A., 930, 935
Hodolic, J., 730
Hosseinipour, S.J., 1572
Huang, W., 1597
Huarte, B., 317
Hufenbach, W., 65
Hunter, R., 1510

Ibrahim, R., 1099
Ibrahim, R.N., 964
Im, Y.-T., 447
İnan, A., 862
Ipek, R., 71
Isac, N., 471, 1487
Ishiwata, M., 856
Ismail, A.F., 312

Jędrzejewski, J., 615
Jaśkiewicz, K., 304
Jamali, A., 1561
Janerka, K., 465
Jang, K.C., 342, 1038
Janicki, D., 1046, 1056, 1062, 1068
Janzekovic, I., 744
Janzekovic, M., 744
Jarrah, M.A., 1479
Javierre, C., 477
Jaworska, L., 184
Jeong, H.S., 504
Jiang, Z.Y., 512, 585, 591
Jin, Y., 190
Jóźwiak, S., 46

Kaczmarek, Ł., 947
Kaczmarek, M., 196
Kajzer, W., 196
Kalaichelvan, K., 519
Kalinowski, K., 1358
Kampus, Z., 622
Kang, B.-S., 1212, 1618
Kang, B.Y., 1134
Kang, C.G., 260, 402, 570
Kang, G.-J., 1212
Kang, M.J., 1113
Kang, S.B., 355
Karolus, M., 203
Kato, M., 709, 1128
Kecelj, B., 1379
Kermouche, G., 1185
KeshavaMurthy, V., 83
Khan, Z., 1550
Khoei, A.R., 1248
Kılıçkap, E., 862
Kim, C.B., 9
Kim, D.U., 570
Kim, H.H., 1134
Kim, H.J., 1134
Kim, H.W., 355
Kim, H.-Y., 447
Kim, I.J., 1134
Kim, I.S., 1134, 1038
Kim, I.-S., 1612
Kim, I.S., 342
Kim, J., 1212, 1618
Kim, S.S., 524
Kim, S.-W., 1618
Kinoshita, T., 1258
Kiyak, M., 275
Klimpel, A., 958, 1014, 1046, 1056, 1062, 1068
Kneissl, A., 220
Kończewicz, W., 958
Kochański, A., 1430
Kokosza, A., 327
Kolan, C., 350
Kondo, T., 709
Kondracki, M., 332
Konieczny, J., 20
Kopač, J., 924, 1624
Kopac, J., 622, 629, 759, 1554
Koseč, L., 924
Kosec, B., 220
Kost, G.G., 1369
Koszkul, J., 109, 52
Kovacic, M., 1309, 1379
Kowal, Z., 615
Kowalczyk, M., 215
Kowalski, M., 1500
Krajnik, P., 629
Krauze, A., 209
Krawczyk, J., 336
Krenczyk, D., 1301, 1388
Križman, A., 220
Król, S., 868
Królicka, D., 184
Kroll, L., 65
Kuboki, T., 190, 492, 540
Kuk, J.M., 342, 1038
Kula, P., 876
Kulik, T., 215
Kumar, S., 1395
Kuzman, K., 1343
Kwaśny, W., 615, 1192, 1519
Kwapuliński, P., 203
Kweon, S.H., 702
Kwon, H.-C., 447

Lábár, J., 131
Lalik, S., 4
Lämmel, G., 1597
Lara, S., 766
Lebaal, N., 1524
Lee, D.G., 342, 1038
Lee, D.-M., 1612
Lee, H.-S., 882
Lee, J.H., 1402
Lee, Y.-S., 524
León, J., 317, 1218, 1530
Lesz, S., 254
Levenfeld, B., 230
Liew, K.M., 429
Lis, A.K., 350
Lis, J., 350
Lisiecki, A., 1014, 1046, 1056, 1068
Liu, F., 1644
Liu, S., 673
Liu, X.H., 585, 591
Lojen, G., 220
Lornage, T., 1197
Lugarà, P.M., 971
Luis, C.J., 317, 696, 889, 1218, 1530, 1590
Lukáč, P., 131, 416
Lukaszkowicz, K., 816
Łukojć, A., 1074
Lupoi, R., 1537
Luri, R., 317, 1218, 1530

Madejski, J., 924, 1500
Mahdavinejad, A., 637
Mahdavinejad, R.A., 637
Majchrzak, E., 1544
Majzoobi, G.H., 39, 76, 1226
Marciniak, J., 163, 196, 209
Marcos, M., 682, 911
Marcos-Bárcena, M., 644
Martiny, M., 1241
Marumo, Y., 530
Masood, S.H., 83
Matsuo, Y., 690
Matsuzaki, K., 856
Matula, G., 230
Mei, L.H.I., 90, 102, 236
Mei, P.R., 116, 298
Mendakiewicz, J., 1544
Meneghini, A., 534
Merah, N., 1550
Miani, F., 1294
Michalska, J., 751
Michalski, P., 1444
Mijanovic, K., 759
Mikuła, J., 822, 924
Milfelner, M., 1281, 1472, 1554
Min, B.K., 355
Mitrofanov, A.V., 649

Mochnacki, B., 766
Modrzycki, W., 615
Moeini, A., 1561
Mohamed, A., 362
Monica, Z., 1358
Mori, K., 498
Morishita, T., 1258
Moulin, N., 1197
Mrówka-Nowotnik, G., 367
Murai, T., 540
Murata, M., 190, 492, 540
Mursec, B., 744
Mutwil, K., 897
Muzzupappa, M., 156
Myalski, J., 96, 127

Naddeo, A., 1423
Nakamura, E.M., 236
Nandi, A.K., 655
Nariman-Zadeh, N., 1561
Nasti, G., 1410
Neto, C.M., 116
Nieslony, P., 1204
Niola, V., 1410
Nizioł, J., 546
Noorani-Azad, M., 1572
Noronha, F., 102
Nowacki, J., 1074, 1082
Nowosielski, R., 20, 242, 373, 379

Ochin, P., 178
Odeshi, A.G., 385
Okrajni, J., 897
Olabi, A.G., 978, 986
Olofinjana, A., 905
Ortiz, J.A., 696
Osman, F.H., 564, 1537
Otubo, J., 116
Ozgowicz, W., 392

Pacyna, J., 327, 336, 442
Pahole, I., 1309, 1379, 1416
Pająk, L., 15
Pakuła, D., 832
Pallavicini, E.J., 286
Palumbo, G., 454, 1089
Panjan, P., 924
Pappalardo, M., 1423
Paradowska, A., 1099
Park, C.E., 1134
Park, D.H., 1578
Park, H.C., 504
Park, H.-D., 447
Park, H.-J., 1212
Park, J.-S., 882
Park, S.R., 1584
Paszenda, Z., 1263
Pater, Z., 558, 1154, 1235
Pavletic, D., 777
Pawlak, E., 766
Pérez, J., 1510
Perzyk, M., 1430
Philbin, P., 665
Phuah, K., 1597
Piech, A., 924
Pietrasik, R., 876
Pilarczyk, W., 373
Pinto, S., 454
Pio, L.Y., 435
Ploj, T., 744
Polok, M., 843
Ponz, L., 477
Postawa, P., 109
Praveen, P., 1106, 1113
Previtali, B., 990
Price, J.W.H., 248, 1099
Prusik, K., 15
Przybył, A., 20, 149
Puertas, I., 317, 889, 1590
Puissant, S., 1524

Quaremba, G., 1410

Rabczak, K., 422
Raman, R.K.S., 964
Ratchev, S., 673, 1597
Rech, J., 1148, 1185
Ribolla, A., 1120
Rigo, O.D., 116
Ríos, J., 1510
Rożniata, E., 336
Rojek, M., 121
Rosso, M., 286
Roszak, M., 770
Ruan, L., 530
Rubio, E., 911, 1167
Rubio, E.M., 551, 682
Ruiz-Navas, E.M., 59, 280
Rybicki, P., 1082

Sękala, A., 1436
Saghir, F., 1550
Saiki, H., 530
Saillard, P., 1197
Sakiewicz, P., 242, 379
Sales, W.F., 609
Samołyk, G., 558, 1235
Sánchez, J.M., 911
Sánchez-Carrilero, M., 644
Sánchez-López, M., 644
Sánchez-Sola, J.M., 644, 682
Saniee, F.F., 76
Saxena, N., 1495
Scharr, G., 725
Schiavone, S., 971
Schlemmer, K.L., 564
Schmidt, F., 484
Schmidt, F.M., 1524
Sebastián, M.A., 551, 911
Sebastián-Pérez, M.A., 644
Seo, P.K., 260, 402, 570
Serbiński, W., 919, 958
Serri, J., 1241
Sevilla, L., 551
Shamloo, A., 1248
Shimada, K., 690
Shinohara, T., 579
Shirakawa, N., 1258
Sibillano, T., 971
Sieniawski, J., 367, 422
Silberschmidt, V.V., 649
Singh, R., 1395
Sitek, W., 1607
Sivaramakrishnan, R., 519
Śleziona, J., 33, 96, 127
Śliwa, A., 1192
Sluga, A., 629
Smoleńska, H., 958
Soković, M., 924
Sokovic, M., 718, 730, 777
Son, J.S., 1134
Son, J.-S., 1612
Song, W.-J., 1212, 1618
Spina, R., 971, 1160
Stabik, J., 121
Stanley, A.J., 519
Stobierski, L., 184
Stoić, A., 1624
Suchoń, J., 465
Sulaiman, S., 435
Sung, B.S., 1134
Świątoniowski, A., 546
Świder, J., 1336, 1436, 1444, 1452, 1459
Szabo-Ponce, A., 1140
Szajnar, J., 332
Száraz, Z., 131
Szczucka-Lasota, B., 46, 850, 930, 935
Szewczenko, J., 163
Szewieczek, D., 149, 254, 940
Szkodo, M., 410, 1631
Szymański, K., 850, 935

Takuda, H., 1258
Tan, M.J., 429
Temel, H., 275
Tesfamichael, T., 905
Tieu, A.K., 512, 585
Tkaczyk, S., 770
Tomesani, L., 534, 1025
Torralba, J.M., 59, 230, 280
Tricarico, L., 971, 1089, 1160
Trojanová, Z., 131, 416
Trzaska, J., 795, 1637
Tsukita, M., 856
Twardowska, A., 184
Tyrlik-Held, J., 163

Umeda, K., 856
Unterweger, E., 220

Várez, A., 230
Vaupotic, B., 1327
Villa, G., 889, 1590
Vivancos, J., 696
Vizán, A., 1510
Vural, M., 1269

Walke, W., 1263
Wang, G.D., 585, 591
Wang, J., 1128
Wang, J.S., 585
Wang, T., 1644
Wang, W., 702
Wang, X.Y., 1128, 1644
Warmuzek, M., 422
Wendler, B.G., 947
Wieczorek, J., 33, 127
Winter, O., 1452
Włodarczyk, A., 27, 850
Wnuk, I., 242

Wróbel, G., 121
Wszołek, G., 1444, 1452, 1459, 1466
Wu, Y., 690, 709
Wu, Y.B., 1128
Wysłocki, J.J., 149, 242

Xu, W.J., 1032, 1128, 1644
Xue, Y., 1134
Xun, Y., 429

Yahya, Z., 596
Yalcın, H.T., 1269
Yamamoto, K., 690
Yang, L.J., 139
Yang, S.H., 702, 1402, 1584
Yarlagadda, P.K.D.V., 1106, 1113, 1578
Yi, Y.-M., 882
Yilbas, B.S., 954
Yoon, J.-H., 882
Yoshida, K., 579
Youn, S.W., 260

Zahouani, H., 1185
Zając, G., 442
Zak, J., 163
Zalisz, Z., 868
Zarychta, A., 816
Zdanowicz, R., 1369
Zhang, J., 447
Zhang, X.M., 591
Zhao, Z.Y., 1032, 1644
Zhu, H.T., 512
Zębowicz, A., 209
Zębowicz, B., 149
Zieliński, A., 958
Zuperl, U., 744, 1472, 1554

ELSEVIER

Journal of Materials Processing Technology 164–165 (2005) 1654–1676

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Sujbect Index of Volumes 162–165

AA6082
The effect of die design on the production and seam weld quality of extruded aluminum profiles, 1025
AA7050
Surface roughness of AA7050 alloy turned bars. Analysis of the influence of the length of machining, 682
Absorbed energy
Absorbed energy in laser truing of a small vitrified CBN grinding wheel, 1128
Accelerated ageing
Performance development requirements for elastomers of electric power network insulators, 102
Accumulative roll bonding
Effect of Al_3Sc precipitate on the microstructural evolution during accumulative roll bonding in Al–0.2 wt.% Sc alloy, 355
Acoustic emission
A study on failure characteristic of spherical pressure vessel, 882
Acquisition
An overview of data acquisition system for cutting force measuring and optimization in milling, 1281
Activated sludge
Study and development of LDPE/starch partially biodegradable compounds, 236
Adaptive force control
Fuzzy control strategy for an adaptive force control in end-milling, 1472
Adaptive learning
Adaptive calculation of deformation resistance model of online process control in tandem cold mill, 585
Adhesion wear
Microstructural characterisation of material adhered over cutting tool in the dry machining of aerospace aluminium alloys, 911
Adhesion
The influence of extrusion variables on the interfacial adhesion and mechanical properties of recycled PET composites, 90
Structure and properties of wear resistance PVD coatings deposited onto X37CrMoV5-1 type hot work steel, 843
Adhesive wear
A methodology for the prediction of standard steady-state wear coefficient in an aluminium-based matrix composite reinforced with alumina particles, 139
Adiabatic shear band (ASB)
Effect of high strain rate on plastic deformation of a low alloy steel subjected to ballistic impact, 385
Aerating
Use of machines for liquid manure aerating and mixing, 744
AFM
Influence of the anodic oxidation on the physicochemical properties of the Ti6Al4V ELI alloy, 163
Structure, physical properties and fractal character of surface topography of the Ti + TiC coatings on sintered high speed steel, 1519
Age hardening
The influence of niobium and aging treatment in the 18% Ni maraging steel, 342
Ageing
Ultrasonic methods in diagnostics of epoxy–glass composites, 121
Aggregation
Float polishing technique using new tool consisting of micro magnetic clusters, 690
AI (artificial intelligence) technology
A study on on-line learning neural network for prediction for rolling force in hot-rolling mill, 1612
Al alloys
The course of the peritectic transformation in the Al-rich Al–Fe–Mn–Si alloys, 422
Al composite
Adhesive wear behaviour of B_4C and SiC reinforced 4147 Al matrix composites (Al/B_4C–Al/SiC), 71
Al_2O_3
Structure and properties of PVD and CVD coated Al_2O_3 + TiC mixed oxide tool ceramics for dry on high speed cutting processes, 822
Cutting properties of the Al_2O_3 + $SiC_{(w)}$ based tool ceramic reinforced with the PVD and CVD wear resistant coatings, 924
Al_3Sc
Effect of Al_3Sc precipitate on the microstructural evolution during accumulative roll bonding in Al–0.2 wt.% Sc alloy, 355
Alloying
Relationship between microstructure of laser alloyed C45 steel and its cavitation resistance, 410
Comparison of the structures of the hot-work tool steels laser modified surface layers, 1014
Al–Mg alloy
Low-cycle fatigue of friction stir welded Al–Mg alloys, 1001
Aluminium alloys
Al–FeAl–TiAl–Al_2O_3 composite with hybrid reinforcement, 33
Microstructural characterisation of material adhered over cutting tool in the dry machining of aerospace aluminium alloys, 911
Comparison of two different nozzles for laser beam welding of AA5083 aluminium alloy, 971
Aluminium phosphate binder
New generation of protective coatings intended for the power industry, 850
Aluminium–lithium alloy
EBSD characterization of cavitation during superplastic deformation of Al–Li alloy, 429
Aluminothermal reaction
The structure and properties of sinters produced from composite powders Al–Al_2O_3–Al_3Fe–Al_3Ti, 127

Elsevier B.V.
doi:10.1016/S0924-0136(05)00363-8

Aluminum alloys
Structure, properties and corrosion resistance of PM composite materials based on EN AW-2124 aluminum alloy reinforced with the Al_2O_3 ceramic particles, 27
Enhancement of liquid phase sintering through Al–Si additions to Al–Cu systems, 280
Chill material and size effects on HTC evolution in sand casting of aluminum alloys, 534
Meeting challenges in welding of aluminum alloys through pulse gas metal arc welding, 1106
Aluminum
Meeting challenges in welding of aluminum alloys through pulse gas metal arc welding, 1106
Experimental and numerical simulation of tube hydroforming (THF), 1140
Amorphous alloys
Crystallization in $Fe_{76}X_2B_{22}$ (X = Cr, Zr, Nb) amorphous alloys, 203
Amorphous structure
Electrochemical corrosion and its influence on magnetic properties of $Fe_{75.5}Si_{13.5}B_9Nb_3Cu_1$ alloy, 940
Aneurisms
The material property basis of bottle blowing and balloons: stable axisymmetric aneurisms, 248
Ankle support
Application of Incremental Forming process for high customised medical product manufacturing, 156
APQP-concept
Implementation of APQP-concept in design of QMS, 718
Arc spray
Arc spray forming, 1032
Artificial intelligence (AI) technology
Fuzzy regression method for prediction and control the bead width in the robotic arc-welding process, 1134
Artificial Intelligence
Methodology of the mechanical properties prediction for the metallurgical products from the engineering steels using the Artificial Intelligence methods, 1500
Artificial neural networks
Modeling of manufacturing processes by learning systems: The naïve Bayesian classifier versus artificial neural networks, 1430
Methodology of the mechanical properties prediction for the metallurgical products from the engineering steels using the Artificial Intelligence methods, 1500
Asymmetrical rolling
Study of work roll edge contact in asymmetrical rolling by modified influence function method, 512
Attritorial mill
Microstructure of Ni(Cr)–TiC–Cr_3C_2–Cr_7C_3 composite powder, 15
Auger's spectrometry
The relationship between hot ductility and intergranular fracture in a CuSn6P alloy at elevated temperatures, 392
Austenitic steel
Corrosion resistance of intramedullary nails used in elastic osteosynthesis of children, 209
Experimental and numerical biomechanical analysis of vascular stent, 1263
AutoLISP function
Industrial application of surface area calculating system (SACS) in non-axisymmetric deep drawing process, 1578
Automatic design of RB
FBF-NN-based modelling of cylindrical plunge grinding process using a GA, 655
Automation
Programmable controller designed for electro-pneumatic systems, 1459
Axiomatic design
Failure mode analysis using axiomatic design and non-probabilistic information, 1423
Axisymmetric free blowing
The material property basis of bottle blowing and balloons: stable axisymmetric aneurisms, 248
AZ31
Modelling of formula for flow stress of a magnesium alloy AZ31 sheet at elevated temperatures, 1258

Back-pull
Analysis of the influence of back-pull in drawing process by the finite element method, 1167
Ball pin
Numerical modelling of cross-wedge rolling process of ball pin, 1235
Ball-end mill
Genetic equation for the cutting force in ball-end milling, 1554
Ball-end milling
An overview of data acquisition system for cutting force measuring and optimization in milling, 1281
Bead geometry
Welding and environmental test condition effect in weldability and strength of Al alloy, 1038
Bead width
Fuzzy regression method for prediction and control the bead width in the robotic arc-welding process, 1134
Bending radius
Influence of strip materials on behavior of incremental in-plane bending, 190
B_4C
Adhesive wear behaviour of B_4C and SiC reinforced 4147 Al matrix composites (Al/B_4C–Al/SiC), 71
Billet fabrication process
The effect of raw material fabrication process on microstructural characteristics in reheating process for semi-solid forming, 402
Biodegradation
Study and development of LDPE/starch partially biodegradable compounds, 236
Biomaterials
Biomechanical analysis of stent–oesophagus system, 196
Blends
Investigations of the influence of compatibilizer and filler type on the properties of chosen polymer blends, 52
Boundary element method
Algorithm of the mould thermal parameters identification in the system casting–mould–environment, 1544
Braiding
Manufacture and multiaxial test of composite tube specimens with braided glass fiber reinforcement, 65
Buckling limit diagrams (BLDs)
Buckling limit diagrams (BLDs) of interstitial free steels (IFS): Comparison of experimental and finite element analysis, 1487
BUE
Microstructural characterisation of material adhered over cutting tool in the dry machining of aerospace aluminium alloys, 911
BUL
Microstructural characterisation of material adhered over cutting tool in the dry machining of aerospace aluminium alloys, 911
Burr
Development of a new burr-free hydro-mechanical punching, 524
Butt joints defects
The influence of welding heat input on submerged arc welded duplex steel joints imperfections, 1082

C_{pk}
Quality estimation of process with usage control charts type X-R and quality capability of process C_p, C_{pk}, 736

CAD/CAM
Incremental sheet metal forming on CNC milling machine-tool, 622
Error compensation strategy in milling flexible thin-wall parts, 673
Rapid prototyping processes give new possibilities to numerical copying techniques, 1416
CAD
Integration of the CAD/CAPP/PPC systems, 1358
CAD-model
Prediction of total manufacturing costs for stamping tool on the basis of CAD-model of finished product, 1327
CAM
Intelligent interface in a flexible production environment, 1309
Cap plasticity model
Modeling of pressure-sensitive materials using a cap plasticity theory in extended finite element method, 1248
Capacitance sensor
Measurement of geometric errors in a miniaturized machine tool using capacitance sensors, 1402
CAPP
Integration of the CAD/CAPP/PPC systems, 1358
Carbon steel
Comparison of the friction and wear properties of titanium and oxidised titanium in dry sliding against sintered high speed steel HS18-0-1 and against C45 carbon steel, 868
Carbon structures
An overview of advanced materials for hydrogen storage, 169
ε carbide
The kinetics of phase transformations during tempering in structural steels with nickel, 442
Cast steel dies
Thermo-mechanical stresses in cast steel dies during glass pressing process, 484
Cast steel
The influence of hypereutectoid cementite morphology upon fracture toughness of chromium–nickel–molibdenium cast steel of ledeburite class, 336
Casting solidification
Multiscale model of segregation process, 766
Casting
Role of the intermetallic phases in technological process of fixture brasses, 332
Simulation of composite microregions solidification process, 1175
Simulation of solidification process for composite micro-region with incomplete wetting of reinforcing particle, 1181
Cause-and-effect matrix
Application of Six Sigma methodology for process design, 777
Cavitation erosion resistance
Relationship between microstructure of laser alloyed C45 steel and its cavitation resistance, 410
Cavitation erosion
Mathematical description and evaluation of cavitation erosion resistance of materials, 1631
Cavitation
EBSD characterization of cavitation during superplastic deformation of Al–Li alloy, 429
CCT diagrams
Application of neural networks for designing the chemical composition of steel with the assumed hardness after cooling from the austenitising temperature, 1637
Cemented carbides
Structure and properties of the cutting tools made from cemented carbides and cermets with the TiN + mono-, gradient- or multi(Ti, Al, Si)N + TiN nanocrystalline coatings, 805
Cementite
The kinetics of phase transformations during tempering in structural steels with nickel, 442
Centerless grinding
A new centerless grinding technique using a surface grinder, 709
Ceramic filter
NiTi SMA production using ceramic filter during pouring the melt, 116
Ceramics densification
Preparation of materials based on Ti–Si–C system using high temperature–high pressure method, 184
Ceramics
Micro-frictional dissipation in fiber-reinforced ceramic matrix composites and interfacial shear estimation with a consideration of uneven fiber packing, 9
Cermets
Structure and properties of the cutting tools made from cemented carbides and cermets with the TiN + mono-, gradient- or multi(Ti, Al, Si)N + TiN nanocrystalline coatings, 805
Chaos
Types of mid-frequency vibrations appearing during the rolling mill operation, 461
Charge materials
Charge materials and technology of melt and structure of gray cast iron, 465
Charpy test
Influence of an appropriate balance of the alloying elements on microstructure and on mechanical properties of nodular cast iron, 293
Chemical analysis
Influence of an appropriate balance of the alloying elements on microstructure and on mechanical properties of nodular cast iron, 293
Chemical composition
Application of genetic methods in materials' design, 1607
Chemical etching
Chemical etching of Cu-ETP copper, 275
Chemical pipeline
Chemical pipelines material fatigue, 897
Chemiluminescence method
Influence of the anodic oxidation on the physicochemical properties of the Ti6Al4V ELI alloy, 163
Chills
Chill material and size effects on HTC evolution in sand casting of aluminum alloys, 534
Chip shape
Machinability of 90MnCrV8 steel during high-speed machining, 603
CHT diagram
The kinetics of phase transformations during tempering in structural steels with nickel, 442
Clip-on test
An experimental study on the forming parameters of deep-drawable steel sheets in automotive industry, 471
Closed-die forging
Use of SLFET for design of flash gap with V-notched lands in a closed-die forging, 558
Cluster
Float polishing technique using new tool consisting of micro magnetic clusters, 690
CNC machines
Incremental sheet metal forming on CNC milling machine-tool, 622
Evolutionary programming of CNC machines, 1379
Rapid prototyping processes give new possibilities to numerical copying techniques, 1416
Coatings PVD
Employment of the finite element method for determining stresses in coatings obtained on high-speed steel with the PVD process, 1192

Coatings
New generation of protective coatings intended for the power industry, 850
HVOF coating and laser treatment: three-point bending tests, 954
Co-base alloys
Characterization of the Co-base layers obtained by laser cladding technique, 958
Cold forging
Numerical approach to forging process of a gear with inner cam profile using FEM, 1212
Collapsible bottle
Development of collapsible PET water fountain bottles, 83
Compatibilizer
Investigations of the influence of compatibilizer and filler type on the properties of chosen polymer blends, 52
Compliant mechanism
A mathematical approach for analyzing ultra precision positioning system with compliant mechanism, 1584
Composite materials
Structure, properties and corrosion resistance of PM composite materials based on EN AW-2124 aluminum alloy reinforced with the Al_2O_3 ceramic particles, 27
Corrosion resistance of the polymer matrix hard magnetic composite materials Nd–Fe–B, 795
Composite powder
Microstructure of Ni(Cr)–TiC–Cr_3C_2–Cr_7C_3 composite powder, 15
Al–FeAl–TiAl–Al_2O_3 composite with hybrid reinforcement, 33
Influence of milling parameters on the manufacturing of Fe–TiCN composite powders, 59
The structure and properties of sinters produced from composite powders Al–Al_2O_3–Al_3Fe–Al_3Ti, 127
Composite tube
Manufacture and multiaxial test of composite tube specimens with braided glass fiber reinforcement, 65
Composites
Micro-frictional dissipation in fiber-reinforced ceramic matrix composites and interfacial shear estimation with a consideration of uneven fiber packing, 9
Soft magnetic nanocomposite with powdered metallic ribbon based on cobalt and polymer matrix, 20
Deformation behaviour of an AS21 alloy reinforced by short Saffil fibres and SiC particles, 131
The specialities of fibre-reinforced plastics in terms of product life-cycle management, 725
Simulation of composite microregions solidification process, 1175
Simulation of solidification process for composite micro-region with incomplete wetting of reinforcing particle, 1181
Compression
Graphite coating of tool steel by pressure spraying, 856
Computer simulation
Vacuum carburizing—process optimization, 876
Employment of the finite element method for determining stresses in coatings obtained on high-speed steel with the PVD process, 1192
Modeling of manufacturing systems and robot motions, 1369
Contact rigidity profiles
An experimental investigation of fixture–workpiece contact behaviour for the dynamic simulation of complex fixture–workpiece systems, 1597
Contact stresses
Under surface pressure sensing technique for the evaluation of contact stresses, 1537
Continued fraction based
Modelling and synthesis of discrete–continuous subsystems of machines with damping, 1317
Continued fraction expansion method
The expansion of the synthesized structures of mechanical discrete systems represented by polar graphs, 1277
Continuous surface
Study of roundness on cylindrical bars turned of aluminium–copper alloys UNS A92024, 644
Contour search algorithm
The deadlock protection method used in the production systems, 1388
Control charts type X-R
Quality estimation of process with usage control charts type X-R and quality capability of process C_p, C_{pk}, 736
Control
Artificial intelligence applied to automatic supervision, diagnosis and control in sheet metal stamping processes, 1351
Cooling conditions
Structure and mechanical properties of DP-type and TRIP-type sheets obtained after the thermomechanical processing, 267
Copper foil
Influence of resin dies and resin auxiliary sheets on deep drawability of metal foil, 530
Copper precipitation
Development of alternative as-rolled alloys to replace quenched and tempered steels with tensile strength in the range of 600–800 MPa, 298
Copper
Chemical etching of Cu-ETP copper, 275
Corrosion
Corrosion resistance of multilayer coatings deposited by PVD techniques onto the brass substrate, 816
Manganese–nitrogen–sulphur surface layers produced on aluminium alloys, 919
Corrosion fatigue
Hydrogen assisted cracking of high-strength weldable steels in seawater, 1007
Corrosion mechanism
Electrochemical corrosion and its influence on magnetic properties of $Fe_{75.5}Si_{13.5}B_9Nb_3Cu_1$ alloy, 940
Corrosion resistance investigation
Influence of the anodic oxidation on the physicochemical properties of the Ti6Al4V ELI alloy, 163
Corrosion resistance
Structure, properties and corrosion resistance of PM composite materials based on EN AW-2124 aluminum alloy reinforced with the Al_2O_3 ceramic particles, 27
Growth of corrosion products on thermally sprayed coatings with FeAl intermetallic phases in aggressive environments, 930
Structure and properties of the heat-affected zone of duplex steels welded joints, 1074
Corrosion test
Corrosion resistance of intramedullary nails used in elastic osteosynthesis of children, 209
Corrosive wear
Corrosion resistance of the polymer matrix hard magnetic composite materials Nd–Fe–B, 795
Cost
Chosen aspects of evaluation of productive processes on the example of productive chains of sections type V29, 770
Coulomb friction
Calculation of the forward tension in drawing processes, 551
Analysis of the influence of back-pull in drawing process by the finite element method, 1167
Cover glass
The use of Nd:YAG laser weld for large scale volume assembly of automotive body in white, 1120

CPVC
Modeling the combined effects of temperature and frequency on fatigue crack growth of chlorinated polyvinyl chloride (CPVC), 1550
Crack arrest
Solution for a cracked piezoelectric plate subjected to variable load on plastic zones under mode-I deformation, 1495
Creep
The classification method and the technical condition evaluation of the critical elements' material of power boilers in creep service made from the 12Cr–1Mo–V, 785
2.25,9Cr–1Mo steel
Effect of post weld heat treatment on the oxide scaling of Cr–Mo steel weldments, 964
Cross-wedge rolling
Numerical simulation of three-rolls cross-wedge rolling of hollowed shaft, 1154
Numerical modelling of cross-wedge rolling process of ball pin, 1235
Crown
Study of work roll edge contact in asymmetrical rolling by modified influence function method, 512
Crystallisation
Temperature of nanocrystallisation of magnetically soft alloys for high-temperature applications, 215
Crystallites
Structure and properties of the composite materials consisting of the nanocrystalline $Fe_{73.5}Cu_1Nb_3Si_{13.5}B_9$ alloy powders and polyethylene, 149
Crystallization
Role of the intermetallic phases in technological process of fixture brasses, 332
Cu–Al–Ni
Microstructure of rapidly solidified Cu–Al–Ni shape memory alloy ribbons, 220
Cupronickel
The effect of ductility minimum temperature in CuNi25 alloy, 379
Cutting forces
Machining of nickel-base, Inconel 718, alloy with ceramic tools under finishing conditions with various coolant supply pressures, 609
Genetic equation for the cutting force in ball-end milling, 1554
Cutting mechanics
Error compensation strategy in milling flexible thin-wall parts, 673
Cutting parameters
Genetic equation for the cutting force in ball-end milling, 1554
Cutting process
An overview of data acquisition system for cutting force measuring and optimization in milling, 1281
Cutting temperature distribution
Finite element modelling of temperature distribution in the cutting zone in turning processes with differently coated tools, 1204
CVD
Structure and properties of PVD and CVD coated Al_2O_3 + TiC mixed oxide tool ceramics for dry on high speed cutting processes, 822
Comparison of the structure and properties of the PVD and CVD coatings deposited on nitride tool ceramics, 832
Cutting properties of the Al_2O_3 + $SiC_{(w)}$ based tool ceramic reinforced with the PVD and CVD wear resistant coatings, 924
Cyclic stress strain curve
The effect of tempering on low cycle fatigue behavior of Al-2024, 362
Cylindrical plunge grinding
FBF-NN-based modelling of cylindrical plunge grinding process using a GA, 655
Data management
The specialities of fibre-reinforced plastics in terms of product life-cycle management, 725
Data pre-processing
Development of a programme system for data-point pre-processing in Reverse Engineering, 730
Data reduction
Development of a programme system for data-point pre-processing in Reverse Engineering, 730
Deadlock
The deadlock protection method used in the production systems, 1388
Debinding
Comparison of structure and properties of the HS12-1-5-5 type high-speed steel fabricated using the pressureless forming and PIM methods, 230
Deep drawing
Prediction of formability extension in deep drawing when superimposing a thermal gradient, 454
Influence of resin dies and resin auxiliary sheets on deep drawability of metal foil, 530
Increasing the stability of the deep drawing process by simulation-based optimization, 1343
Artificial intelligence applied to automatic supervision, diagnosis and control in sheet metal stamping processes, 1351
Deformation behaviour
Compressive deformation behaviour of magnesium alloys, 416
Deformation resistance model
Adaptive calculation of deformation resistance model of online process control in tandem cold mill, 585
Depth of etch
Chemical etching of Cu-ETP copper, 275
Design of experiment
Comparison of two different nozzles for laser beam welding of AA5083 aluminium alloy, 971
Design of experiments
Analysis of factors affecting the high-speed side milling of hardened die steels, 696
Design
Development of collapsible PET water fountain bottles, 83
Designing
Application of genetic methods in materials' design, 1607
Diameter reduction
Compression spinning of circular magnesium tube using heated roller tool, 540
Die design
The effect of die design on the production and seam weld quality of extruded aluminum profiles, 1025
Die-set
An intelligent system for selection of die-set of metal stamping press tool, 1395
Diffusion bonding
A study on failure characteristic of spherical pressure vessel, 882
Digitalization
Rapid prototyping processes give new possibilities to numerical copying techniques, 1416
Direct metal laser sintering
Repairing of sintered tools using laser cladding by wire, 990
Discontinuity
Modeling of pressure-sensitive materials using a cap plasticity theory in extended finite element method, 1248
Dislocation motion
Deformation behaviour of an AS21 alloy reinforced by short Saffil fibres and SiC particles, 131
Dispersion analysis
Microstructure of Ni(Cr)–TiC–Cr_3C_2–Cr_7C_3 composite powder, 15

Dispersion
Simulation of composite microregions solidification process, 1175
Distributed control procedure
The method of the production flow synchronisation using the meta-rule conception, 1301
Distributed control system
The deadlock protection method used in the production systems, 1388
DOE
Material removal rate and electrode wear study on the EDM of silicon carbide, 889
Spacing roughness parameters study on the EDM of silicon carbide, 1590
DP-type sheet
Structure and mechanical properties of DP-type and TRIP-type sheets obtained after the thermomechanical processing, 267
Drawing process
Calculation of the forward tension in drawing processes, 551
Analysis of the influence of back-pull in drawing process by the finite element method, 1167
Drilling processes
Environmental management inside production systems, 759
DSC
Crystallization in $Fe_{76}X_2B_{22}$ (X = Cr, Zr, Nb) amorphous alloys, 203
DTTT-diagram
Structure and mechanical properties of DP-type and TRIP-type sheets obtained after the thermomechanical processing, 267
Dual-phase microstructure
Processing and properties of C–Mn steel with dual-phase microstructure, 350
Ductile fracture criterion
Analytical and numerical analysis of bursting failure prediction in tube hydroforming, 1618
Ductility minimum temperature (DMT)
The effect of ductility minimum temperature in CuNi25 alloy, 379
Ductility minimum temperature
The relationship between hot ductility and intergranular fracture in a CuSn6P alloy at elevated temperatures, 392
Dugdale model
Solution for a cracked piezoelectric plate subjected to variable load on plastic zones under mode-I deformation, 1495
Duplex stainless steel
Properties of vacuum sintered duplex stainless steels, 286
Duplex steel welding
The influence of welding heat input on submerged arc welded duplex steel joints imperfections, 1082
Duplex steel
Structure and properties of the heat-affected zone of duplex steels welded joints, 1074
Dynamic failure
Effect of high strain rate on plastic deformation of a low alloy steel subjected to ballistic impact, 385
Dynamic flexibility
Modelling and synthesis of discrete–continuous subsystems of machines with damping, 1317
Dynamic recrystallization
Microstructure prediction of Nimonic 80A for large exhaust valve during hot closed die forging, 504

ECAE
Optical and mechanical properties of an Al–Mg alloy processed by ECAE, 317
Strain and temperature analysis of AA-1370 processed by ECAE at different temperatures, 1530
Ecological aspects
Use of machines for liquid manure aerating and mixing, 744
EDM
ED machining of WC–Co, 637
Material removal rate and electrode wear study on the EDM of silicon carbide, 889
Spacing roughness parameters study on the EDM of silicon carbide, 1590
Effectiveness estimation
The usage of The Balanced Scorecard for the estimation of the enterprise's effectiveness, 751
Effectiveness
The usage of The Balanced Scorecard for the estimation of the enterprise's effectiveness, 751
Efficiency
The usage of The Balanced Scorecard for the estimation of the enterprise's effectiveness, 751
Electrical car network
Testing device for electrical car networks, 1452
Electrochemical properties
Electrochemical corrosion and its influence on magnetic properties of $Fe_{75.5}Si_{13.5}B_9Nb_3Cu_1$ alloy, 940
Electromagnetic stirring material
The effect of raw material fabrication process on microstructural characteristics in reheating process for semi-solid forming, 402
Electron back scattered diffraction
EBSD characterization of cavitation during superplastic deformation of Al–Li alloy, 429
Electro-pneumatic
Programmable controller designed for electro-pneumatic systems, 1459
Elongation
Compression spinning of circular magnesium tube using heated roller tool, 540
Embrittling
Effect of superheating temperatures on microstructure and properties of strontium modified aluminium–silicon eutectic alloy, 312
EMS
Environmental management inside production systems, 759
End-milling
Fuzzy control strategy for an adaptive force control in end-milling, 1472
Engineering software
Physical and geometrical data acquiring system for vibration analysis software, 1444
Modelling of mechanical systems vibrations by utilisation of GRAFSIM software, 1466
Entropy
Failure mode analysis using axiomatic design and non-probabilistic information, 1423
Environmental performances
Environmental management inside production systems, 759
Epoxy resin
The assessment of possibilities for utilisation of composites with thermosetting matrix, 96
Equivalent area mapping method
Numerical approach to forging process of a gear with inner cam profile using FEM, 1212
Erosion
A study of worn wear plates of fan blades of steel mill fumes suction system, 1062
Error compensation
Error compensation strategy in milling flexible thin-wall parts, 673
Error measurement
Measurement of geometric errors in a miniaturized machine tool using capacitance sensors, 1402
Evaluation of the productive processes
Chosen aspects of evaluation of productive processes on the example of productive chains of sections type V29, 770

Evaluation
Mathematical description and evaluation of cavitation erosion resistance of materials, 1631
Exhaust valves
Characterization of the Co-base layers obtained by laser cladding technique, 958
Experimental design
A study on roughness of the micro-end-milled surface produced by a miniatured machine tool, 702
Explosive forming
Evolutionary design of generalized polynomial neural networks for modelling and prediction of explosive forming process, 1561
Extruded material
The effect of raw material fabrication process on microstructural characteristics in reheating process for semi-solid forming, 402
Extrusion limit diagram
The effect of die design on the production and seam weld quality of extruded aluminum profiles, 1025
Extrusion
Graphite coating of tool steel by pressure spraying, 856
The effect of die design on the production and seam weld quality of extruded aluminum profiles, 1025
Rheological parameters identification using in situ experimental data of a flat die extrusion, 1524
Experimental and numerical study of optimal die profile in cold forward rod extrusion of aluminum, 1572

Failure mode analysis
Failure mode analysis using axiomatic design and non-probabilistic information, 1423
Fan blade
A study of worn wear plates of fan blades of steel mill fumes suction system, 1062
Fatigue crack propagation
Modeling the combined effects of temperature and frequency on fatigue crack growth of chlorinated polyvinyl chloride (CPVC), 1550
Fatigue crack
Numerical modelling of fatigue crack's initiation in rolling contact of sintered steels, 1185
Fatigue life
The influence of niobium and aging treatment in the 18% Ni maraging steel, 342
Fatigue
Deformation analysis of surface flaws in stainless steel wire drawing, 579
Chemical pipelines material fatigue, 897
FBF-NN-based modelling
FBF-NN-based modelling of cylindrical plunge grinding process using a GA, 655
Fe
The course of the peritectic transformation in the Al-rich Al–Fe–Mn–Si alloys, 422
FEA
Development of collapsible PET water fountain bottles, 83
Buckling limit diagrams (BLDs) of interstitial free steels (IFS): Comparison of experimental and finite element analysis, 1487
Fe-based materials
Electrochemical corrosion and its influence on magnetic properties of $Fe_{75.5}Si_{13.5}B_9Nb_3Cu_1$ alloy, 940
$Fe_{78}Si_9B_{13}$ alloys
Ferromagnetic properties of polymer nanocomposites containing $Fe_{78}Si_9B_{13}$ powder particles, 242
FEM analysis
Numerical modelling of cross-wedge rolling process of ball pin, 1235
The FEM analysis of the behavior of a welded column–joist joint under seismic loading, 1269
FEM
Deformation analysis for the shear bending process of circular tubes, 492
Microstructure prediction of Nimonic 80A for large exhaust valve during hot closed die forging, 504
Experimental and numerical simulation of tube hydroforming (THF), 1140
Numerical simulation of three-rolls cross-wedge rolling of hollowed shaft, 1154
Numerical approach to forging process of a gear with inner cam profile using FEM, 1212
Comparison between finite element method and analytical methods for studying wire drawing processes, 1218
Strain and temperature analysis of AA-1370 processed by ECAE at different temperatures, 1530
Analytical and numerical analysis of bursting failure prediction in tube hydroforming, 1618
FE-simulation
Deformation analysis of surface flaws in stainless steel wire drawing, 579
Fiber
Micro-frictional dissipation in fiber-reinforced ceramic matrix composites and interfacial shear estimation with a consideration of uneven fiber packing, 9
Fibrous composites
An experimental study on the behavior of glass–epoxy composite at low strain rates, 39
Fillers
Investigations of the influence of compatibilizer and filler type on the properties of chosen polymer blends, 52
FINEMET alloy
Structure and properties of the composite materials consisting of the nanocrystalline $Fe_{73.5}Cu_1Nb_3Si_{13.5}B_9$ alloy powders and polyethylene, 149
Finite element analysis
Differential heating forming of solid and bi-metallic hollow parts, 564
Effect of lubrication and cutting parameters on ultrasonically assisted turning of Inconel 718, 649
An experimental investigation of fixture–workpiece contact behaviour for the dynamic simulation of complex fixture–workpiece systems, 1597
Finite element method
Biomechanical analysis of stent–oesophagus system, 196
Development of a new burr-free hydro-mechanical punching, 524
Calculation of the forward tension in drawing processes, 551
Effect of forming and calibration operations on the final shape of large diameter welded tubes, 1089
Numerical modelling of orthogonal cutting: influence of numerical parameters, 1148
Experimental and numerical analysis of metal injection molded products, 1160
Analysis of the influence of back-pull in drawing process by the finite element method, 1167
3D simulation of glass forming process, 1197
Finite element modelling
A numerical analysis of the formability of unstable austenitic steels, 1241
Finite element simulation
Finite element modelling of temperature distribution in the cutting zone in turning processes with differently coated tools, 1204
Increasing the stability of the deep drawing process by simulation-based optimization, 1343
Finite element
A three-dimensional simulation of shot peening process using multiple shot impacts, 1226

Finite elements method
Experimental and numerical biomechanical analysis of vascular stent, 1263
Fixture brass
Role of the intermetallic phases in technological process of fixture brasses, 332
Fixture design verification
An experimental investigation of fixture–workpiece contact behaviour for the dynamic simulation of complex fixture–workpiece systems, 1597
Fixture design
Knowledge model as an integral way to reuse the knowledge for fixture design process, 1510
Flank wear
High-speed end-milling of AISI 304 stainless steels using new geometrically developed carbide inserts, 596
Flash gap
Use of SLFET for design of flash gap with V-notched lands in a closed-die forging, 558
Flexible forming
A numerical simulation of temperature field in plasma-arc forming of sheet metal, 1644
Flexure hinge
A mathematical approach for analyzing ultra precision positioning system with compliant mechanism, 1584
Flow stress
Influence of deformation sequence of monotonic tests on behaviour of CuSi3.5 bronze, 304
Modelling of formula for flow stress of a magnesium alloy AZ31 sheet at elevated temperatures, 1258
Flying wedge
A tensile impact apparatus for characterization of fibrous composites at high strain rates, 76
Forging
Microstructure prediction of Nimonic 80A for large exhaust valve during hot closed die forging, 504
Formability
Prediction of formability extension in deep drawing when superimposing a thermal gradient, 454
Forming limit diagrams
An experimental study on the forming parameters of deep-drawable steel sheets in automotive industry, 471
Forming limit
Compression spinning of circular magnesium tube using heated roller tool, 540
Forming quality
Arc spray forming, 1032
Forming
Artificial intelligence applied to automatic supervision, diagnosis and control in sheet metal stamping processes, 1351
Fractal geometry
Structure, physical properties and fractal character of surface topography of the Ti + TiC coatings on sintered high speed steel, 1519
Fracture morphology
Influence of structure on the evolution of magnetic and mechanical properties of amorphous and nanocrystalline $Fe_{85.4}Hf_{1.4}B_{13.2}$ alloy, 254
Fracture toughness
Influence of an appropriate balance of the alloying elements on microstructure and on mechanical properties of nodular cast iron, 293
The influence of hypereutectoid cementite morphology upon fracture toughness of chromium–nickel–molibdenium cast steel of ledeburite class, 336
Fracture
Development of a new burr-free hydro-mechanical punching, 524
Chemical pipelines material fatigue, 897
Fracturing
Influence of resin dies and resin auxiliary sheets on deep drawability of metal foil, 530
Frequency
Modeling the combined effects of temperature and frequency on fatigue crack growth of chlorinated polyvinyl chloride (CPVC), 1550
Friction material
The assessment of possibilities for utilisation of composites with thermosetting matrix, 96
Friction stir welded
Low-cycle fatigue of friction stir welded Al–Mg alloys, 1001
Friction
Micro-frictional dissipation in fiber-reinforced ceramic matrix composites and interfacial shear estimation with a consideration of uneven fiber packing, 9
Graphite coating of tool steel by pressure spraying, 856
FRP
The specialities of fibre-reinforced plastics in terms of product life-cycle management, 725
Fuzzy linear regression method
Fuzzy regression method for prediction and control the bead width in the robotic arc-welding process, 1134
Fuzzy
Fuzzy control strategy for an adaptive force control in end-milling, 1472

Gas corrosion barriers
Oxidation resistance of nanocrystalline microalloyed γ-TiAl coatings under isothermal conditions and thermal fatigue, 947
GAs
Evolutionary design of generalized polynomial neural networks for modelling and prediction of explosive forming process, 1561
GDOS
Comparison of the structure and properties of the PVD and CVD coatings deposited on nitride tool ceramics, 832
Gear
Numerical approach to forging process of a gear with inner cam profile using FEM, 1212
Genetic algorithm
FBF-NN-based modelling of cylindrical plunge grinding process using a GA, 655
Experimental and numerical analysis of metal injection molded products, 1160
Evolutionary programming of CNC machines, 1379
Methodology of the mechanical properties prediction for the metallurgical products from the engineering steels using the Artificial Intelligence methods, 1500
Application of genetic methods in materials' design, 1607
Testing of machinability of mould steel 40CrMnMo7 using genetic algorithm, 1624
Genetic programming
Prediction of total manufacturing costs for stamping tool on the basis of CAD-model of finished product, 1327
Genetic equation for the cutting force in ball-end milling, 1554
Geometric error
Measurement of geometric errors in a miniaturized machine tool using capacitance sensors, 1402
Glass fibre composite
The assessment of possibilities for utilisation of composites with thermosetting matrix, 96
Glass fibre
The influence of extrusion variables on the interfacial adhesion and mechanical properties of recycled PET composites, 90
Glass forming
3D simulation of glass forming process, 1197

Glass pressing process
Thermo-mechanical stresses in cast steel dies during glass pressing process, 484
Glass reinforced composites
Ultrasonic methods in diagnostics of epoxy–glass composites, 121
Glass/epoxy composite
A tensile impact apparatus for characterization of fibrous composites at high strain rates, 76
Glass/epoxy
An experimental study on the behavior of glass–epoxy composite at low strain rates, 39
Globular microstructure
The effect of raw material fabrication process on microstructural characteristics in reheating process for semi-solid forming, 402
GMA
Abrasion resistance of GMA metal cored wires surfaced deposits, 1056
GMAW
The influence of niobium and aging treatment in the 18% Ni maraging steel, 342
Welding and environmental test condition effect in weldability and strength of Al alloy, 1038
GMDH
Evolutionary design of generalized polynomial neural networks for modelling and prediction of explosive forming process, 1561
Gradient coatings
Structure and properties of the cutting tools made from cemented carbides and cermets with the TiN + mono-, gradient- or multi(Ti, Al, Si)N + TiN nanocrystalline coatings, 805
Structure and properties of PVD and CVD coated Al_2O_3 + TiC mixed oxide tool ceramics for dry on high speed cutting processes, 822
Comparison of the structure and properties of the PVD and CVD coatings deposited on nitride tool ceramics, 832
Cutting properties of the Al_2O_3 + $SiC_{(w)}$ based tool ceramic reinforced with the PVD and CVD wear resistant coatings, 924
Comparison of the structures of the hot-work tool steels laser modified surface layers, 1014
Grain boundary sliding
The relationship between hot ductility and intergranular fracture in a CuSn6P alloy at elevated temperatures, 392
EBSD characterization of cavitation during superplastic deformation of Al–Li alloy, 429
Grain growth
Microstructure prediction of Nimonic 80A for large exhaust valve during hot closed die forging, 504
Grain refinement
Grain refinement of LM6 Al–Si alloy sand castings to enhance mechanical properties, 435
Grains
ED machining of WC–Co, 637
Graph contour
The deadlock protection method used in the production systems, 1388
Gravity casing
Al–FeAl–TiAl–Al_2O_3 composite with hybrid reinforcement, 33
Gray cast iron
Charge materials and technology of melt and structure of gray cast iron, 465
Grinding
Design of grinding factors based on response surface methodology, 629

Hard inclusions
Role of the intermetallic phases in technological process of fixture brasses, 332
Hardened die steels
Analysis of factors affecting the high-speed side milling of hardened die steels, 696
Hardening
Deformation behaviour of an AS21 alloy reinforced by short Saffil fibres and SiC particles, 131
Hardness brinell
Influence of an appropriate balance of the alloying elements on microstructure and on mechanical properties of nodular cast iron, 293
Hardness depth
Machining of nickel-base, Inconel 718, alloy with ceramic tools under finishing conditions with various coolant supply pressures, 609
Hardness
Grain refinement of LM6 Al–Si alloy sand castings to enhance mechanical properties, 435
Effect of processing temperature on warm shot peening of spring steel, 498
Manganese–nitrogen–sulphur surface layers produced on aluminium alloys, 919
Structure and properties of the heat-affected zone of duplex steels welded joints, 1074
Application of neural networks for designing the chemical composition of steel with the assumed hardness after cooling from the austenitising temperature, 1637
Heat transfer coefficient
Chill material and size effects on HTC evolution in sand casting of aluminum alloys, 534
Heat treatment
Influence of heat treatment on the microstructure and mechanical properties of 6005 and 6082 aluminium alloys, 367
Heat-affected zone
Structure and properties of the heat-affected zone of duplex steels welded joints, 1074
Heating
HVOF coating and laser treatment: three-point bending tests, 954
High density pressureless polyethylene
Structure and properties of the composite materials consisting of the nanocrystalline $Fe_{73.5}Cu_1Nb_3Si_{13.5}B_9$ alloy powders and polyethylene, 149
High loaded composite materials
Intermetallic alloys with ceramic particles and technological concept for high loaded materials, 46
High power diode laser
Comparison of the structures of the hot-work tool steels laser modified surface layers, 1014
High speed steel
Comparison of the friction and wear properties of titanium and oxidised titanium in dry sliding against sintered high speed steel HS18-0-1 and against C45 carbon steel, 868
High strain rate deformation
Effect of high strain rate on plastic deformation of a low alloy steel subjected to ballistic impact, 385
High-angle grain boundary
Effect of Al_3Sc precipitate on the microstructural evolution during accumulative roll bonding in Al–0.2 wt.% Sc alloy, 355
High-energy ball milling
Soft magnetic nanocomposite with powdered metallic ribbon based on cobalt and polymer matrix, 20
High-energy grinding
Structure and properties of the composite materials consisting of the nanocrystalline $Fe_{73.5}Cu_1Nb_3Si_{13.5}B_9$ alloy powders and polyethylene, 149
High-energy milling
Influence of milling parameters on the manufacturing of Fe–TiCN composite powders, 59

High-pressure coolant supply
Machining of nickel-base, Inconel 718, alloy with ceramic tools under finishing conditions with various coolant supply pressures, 609
High-speed cutting
Machinability of 90MnCrV8 steel during high-speed machining, 603
High-speed side milling
Analysis of factors affecting the high-speed side milling of hardened die steels, 696
High-speed steels
Comparison of structure and properties of the HS12-1-5-5 type high-speed steel fabricated using the pressureless forming and PIM methods, 230
Application of genetic methods in materials' design, 1607
High-strength low-alloy steel
Hydrogen assisted cracking of high-strength weldable steels in seawater, 1007
Application of genetic methods in materials' design, 1607
HITPERM
Temperature of nanocrystallisation of magnetically soft alloys for high-temperature applications, 215
Hollowed shafts
Numerical simulation of three-rolls cross-wedge rolling of hollowed shaft, 1154
Hot deformation
Micro-cracking of low carbon steel in hot-forming processes, 447
Hot ductility
The effect of ductility minimum temperature in CuNi25 alloy, 379
Hot-rolling process
A study on on-line learning neural network for prediction for rolling force in hot-rolling mill, 1612
Hot-work tool steel
Comparison of the structures of the hot-work tool steels laser modified surface layers, 1014
Hourglass
Numerical modelling of orthogonal cutting: influence of numerical parameters, 1148
HRTEM microscopy
Influence of structure on the evolution of magnetic and mechanical properties of amorphous and nanocrystalline $Fe_{85.4}Hf_{1.4}B_{13.2}$ alloy, 254
HT–HP sintering
Preparation of materials based on Ti–Si–C system using high temperature–high pressure method, 184
HVOF coatings
Growth of corrosion products on thermally sprayed coatings with FeAl intermetallic phases in aggressive environments, 930
HVOF
HVOF coating and laser treatment: three-point bending tests, 954
Oxidation models of the growth of corrosion products on the intermetallic coatings strengthened by a fine dispersive Al_2O_3, 935
Hybrid graph
Hybrid graphs in modelling and analysis of discrete–continuous mechanical systems, 1436
Hydroforming
Experimental and numerical simulation of tube hydroforming (THF), 1140
Analytical and numerical analysis of bursting failure prediction in tube hydroforming, 1618
Hydrogen embrittlement
Hydrogen assisted cracking of high-strength weldable steels in seawater, 1007
Hydrogen storage
An overview of advanced materials for hydrogen storage, 169
Hydro-mechanical punching
Development of a new burr-free hydro-mechanical punching, 524
Hydrostatic pressure
Development of a new burr-free hydro-mechanical punching, 524
Hypereutectoid cementite
The influence of hypereutectoid cementite morphology upon fracture toughness of chromium–nickel–molibdenium cast steel of ledeburite class, 336
Hypergraph
Modelling and synthesis of discrete–continuous subsystems of machines with damping, 1317

Identification
Rheological parameters identification using in situ experimental data of a flat die extrusion, 1524
Ilmenite
The structure and properties of sinters produced from composite powders Al–Al_2O_3–Al_3Fe–Al_3Ti, 127
Image processing
A problem of emphasizing features of a surface roughness by means the Discrete Wavelet Transform, 1410
Impact
A tensile impact apparatus for characterization of fibrous composites at high strain rates, 76
A three-dimensional simulation of shot peening process using multiple shot impacts, 1226
Implants
Influence of the anodic oxidation on the physicochemical properties of the Ti6Al4V ELI alloy, 163
Inconel 718
Machining of nickel-base, Inconel 718, alloy with ceramic tools under finishing conditions with various coolant supply pressures, 609
Effect of lubrication and cutting parameters on ultrasonically assisted turning of Inconel 718, 649
Incremental Forming
Application of Incremental Forming process for high customised medical product manufacturing, 156
Incremental sheet metal forming on CNC milling machine-tool, 622
Incremental in-plane bending
Influence of strip materials on behavior of incremental in-plane bending, 190
Induction heating
Differential heating forming of solid and bi-metallic hollow parts, 564
Injection moulding
Change in injection moulded parts shrinkage and weight as a function of processing conditions, 109
Design and optimisation of conformal cooling channels in injection moulding tools, 1294
Injection
Method for generation of rheological model to characterize non-conventional injection molding by means of spiral mold, 477
Input geometry recognition module
Industrial application of surface area calculating system (SACS) in non-axisymmetric deep drawing process, 1578
Instability
ED machining of WC–Co, 637
Intelligent fluid
Float polishing technique using new tool consisting of micro magnetic clusters, 690
Intelligent systems
Prediction of total manufacturing costs for stamping tool on the basis of CAD-model of finished product, 1327
An intelligent system for selection of die-set of metal stamping press tool, 1395

Interface friction
Under surface pressure sensing technique for the evaluation of contact stresses, 1537
Interface
Deformation behaviour of an AS21 alloy reinforced by short Saffil fibres and SiC particles, 131
Interfacial shear
Micro-frictional dissipation in fiber-reinforced ceramic matrix composites and interfacial shear estimation with a consideration of uneven fiber packing, 9
Intergranular fracture
The relationship between hot ductility and intergranular fracture in a CuSn6P alloy at elevated temperatures, 392
Intermetallic phases
Al–FeAl–TiAl–Al_2O_3 composite with hybrid reinforcement, 33
The course of the peritectic transformation in the Al-rich Al–Fe–Mn–Si alloys, 422
Growth of corrosion products on thermally sprayed coatings with FeAl intermetallic phases in aggressive environments, 930
Oxidation models of the growth of corrosion products on the intermetallic coatings strengthened by a fine dispersive Al_2O_3, 935
Intermetallics
Changes in the structure of alloy on the matrix of FeAl intermetallic phase after primary crystallization and homogenizing treatment, 4
Microstructure of Ni(Cr)–TiC–Cr_3C_2–Cr_7C_3 composite powder, 15
Interprocess communication
The use of networked IPC techniques in hybrid description of a simulation model, 1336
Inter-relationship among output variables
FBF-NN-based modelling of cylindrical plunge grinding process using a GA, 655
Intramedullary nails
Corrosion resistance of intramedullary nails used in elastic osteosynthesis of children, 209
Inverse calculation
Adaptive calculation of deformation resistance model of online process control in tandem cold mill, 585
Inverse problem
Algorithm of the mould thermal parameters identification in the system casting–mould–environment, 1544
Ion implantation
Chemical modification and the attending surface hardness of low alloy steel through medium energy nitrogen ion implantation, 905
Iron–carbon alloy
Structure and properties of Fe–6.67% C alloy obtained by mechanical alloying, 373

Keyhole parameters
Optimizing the laser-welded butt joints of medium carbon steel using RSM, 986
Knowledge base
An intelligent system for selection of die-set of metal stamping press tool, 1395
Knowledge model
Knowledge model as an integral way to reuse the knowledge for fixture design process, 1510
Knowledge template
Knowledge model as an integral way to reuse the knowledge for fixture design process, 1510

Lamellar structure
Effect of Al_3Sc precipitate on the microstructural evolution during accumulative roll bonding in Al–0.2 wt.% Sc alloy, 355
Large diameter welded tube
Effect of forming and calibration operations on the final shape of large diameter welded tubes, 1089
Laser cladding by wire
Repairing of sintered tools using laser cladding by wire, 990
Laser cladding
Characterization of the Co-base layers obtained by laser cladding technique, 958
Laser processing
Relationship between microstructure of laser alloyed C45 steel and its cavitation resistance, 410
Laser truing
Absorbed energy in laser truing of a small vitrified CBN grinding wheel, 1128
Laser welding
Comparison of two different nozzles for laser beam welding of AA5083 aluminium alloy, 971
Effect of laser welding parameters on the heat input and weld-bead profile, 978
Optimizing the laser-welded butt joints of medium carbon steel using RSM, 986
Laser
HVOF coating and laser treatment: three-point bending tests, 954
The use of Nd:YAG laser weld for large scale volume assembly of automotive body in white, 1120
LDPE
Study and development of LDPE/starch partially biodegradable compounds, 236
LDR
Prediction of formability extension in deep drawing when superimposing a thermal gradient, 454
Learning systems
Modeling of manufacturing processes by learning systems: The naïve Bayesian classifier versus artificial neural networks, 1430
Light metal hydrides
An overview of advanced materials for hydrogen storage, 169
Limit strain
Influence of deformation sequence of monotonic tests on behaviour of CuSi3.5 bronze, 304
Limits of forming
Incremental sheet metal forming on CNC milling machine-tool, 622
Liquid manure
Use of machines for liquid manure aerating and mixing, 744
Liquid phase sintering
Enhancement of liquid phase sintering through Al–Si additions to Al–Cu systems, 280
Local heating
Differential heating forming of solid and bi-metallic hollow parts, 564
Low alloy steel
Chemical modification and the attending surface hardness of low alloy steel through medium energy nitrogen ion implantation, 905
Low carbon steel
Micro-cracking of low carbon steel in hot-forming processes, 447
Low-cycle fatigue
Low-cycle fatigue of friction stir welded Al–Mg alloys, 1001

Machinability assessment
Surface roughness prediction model by design of experiments for turning machinable glass–ceramic (Macor), 1289
Machinability
Machinability of 90MnCrV8 steel during high-speed machining, 603
Testing of machinability of mould steel 40CrMnMo7 using genetic algorithm, 1624
Machine tools
High-speed precise machine tools spindle units improving, 615
A new centerless grinding technique using a surface grinder, 709

Machine
Use of machines for liquid manure aerating and mixing, 744
Machined length
Surface roughness of AA7050 alloy turned bars. Analysis of the influence of the length of machining, 682
Machining
ED machining of WC–Co, 637
Characterisation of the wear behaviour of polycrystalline diamond (PCD) tools when machining wood-based composites, 665
Study of tool wear and surface roughness in machining of homogenised SiC-p reinforced aluminium metal matrix composite, 862
Magnesium alloys
Deformation behaviour of an AS21 alloy reinforced by short Saffil fibres and SiC particles, 131
Compressive deformation behaviour of magnesium alloys, 416
Magnesium
Compression spinning of circular magnesium tube using heated roller tool, 540
Magnetic and mechanical properties
Influence of structure on the evolution of magnetic and mechanical properties of amorphous and nanocrystalline $Fe_{85.4}Hf_{1.4}B_{13.2}$ alloy, 254
Magnetic compound fluid (MCF)
Float polishing technique using new tool consisting of micro magnetic clusters, 690
Magnetic fluid
Float polishing technique using new tool consisting of micro magnetic clusters, 690
Magnetic properties
Soft magnetic nanocomposite with powdered metallic ribbon based on cobalt and polymer matrix, 20
Ferromagnetic properties of polymer nanocomposites containing $Fe_{78}Si_9B_{13}$ powder particles, 242
Electrochemical corrosion and its influence on magnetic properties of $Fe_{75.5}Si_{13.5}B_9Nb_3Cu_1$ alloy, 940
Magneto-rheological fluid
Float polishing technique using new tool consisting of micro magnetic clusters, 690
Magnetron sputtering
Oxidation resistance of nanocrystalline microalloyed γ-TiAl coatings under isothermal conditions and thermal fatigue, 947
Management systems
Implementation of APQP-concept in design of QMS, 718
Manufacturing process
Modeling of manufacturing processes by learning systems: The naïve Bayesian classifier versus artificial neural networks, 1430
Manufacturing systems
Modeling of manufacturing systems and robot motions, 1369
Evolutionary programming of CNC machines, 1379
Manufacturing
Material removal rate and electrode wear study on the EDM of silicon carbide, 889
Spacing roughness parameters study on the EDM of silicon carbide, 1590
Material characterization
Manufacture and multiaxial test of composite tube specimens with braided glass fiber reinforcement, 65
Experimental and numerical analysis of metal injection molded products, 1160
Material processing
Strain and temperature analysis of AA-1370 processed by ECAE at different temperatures, 1530
Mathematical model
A mathematical approach for analyzing ultra precision positioning system with compliant mechanism, 1584
Testing of machinability of mould steel 40CrMnMo7 using genetic algorithm, 1624
Mathematical description and evaluation of cavitation erosion resistance of materials, 1631
Matrix block diagrams
Physical and geometrical data acquiring system for vibration analysis software, 1444
Matrix flow graph
Hybrid graphs in modelling and analysis of discrete–continuous mechanical systems, 1436
Matrix hybrid graphs
Physical and geometrical data acquiring system for vibration analysis software, 1444
MaxInf
Failure mode analysis using axiomatic design and non-probabilistic information, 1423
MCAW
The study of properties of Ni–WC wires surfaced deposits, 1046
Abrasion resistance of GMA metal cored wires surfaced deposits, 1056
Mechanical alloying
Structure and properties of Fe–6.67% C alloy obtained by mechanical alloying, 373
Mechanical contact
3D simulation of glass forming process, 1197
Mechanical properties
Deformation behaviour of an AS21 alloy reinforced by short Saffil fibres and SiC particles, 131
A study on nano-deformation behavior of rheo-formed Al–Si alloy based on depth-sensing indentation with three-dimensional surface analysis, 260
Structure and mechanical properties of DP-type and TRIP-type sheets obtained after the thermomechanical processing, 267
Compressive deformation behaviour of magnesium alloys, 416
The characteristics of grain size controlled microstructure and mechanical properties of Al-Si alloy by thixocasting and rheocasting process, 570
Mechanical stability
Evaluation of retained austenite stability in heat treated cold work tool steel, 327
Mechanical systems
Modelling of mechanical systems vibrations by utilisation of GRAFSIM software, 1466
Mechatronic device
Testing device for electrical car networks, 1452
Melt spinning
Microstructure of rapidly solidified Cu–Al–Ni shape memory alloy ribbons, 220
Mesh density
Numerical modelling of orthogonal cutting: influence of numerical parameters, 1148
Meso-scale
Measurement of geometric errors in a miniaturized machine tool using capacitance sensors, 1402
Metal alloys
An overview of advanced materials for hydrogen storage, 169
Metal cored wires
Abrasion resistance of GMA metal cored wires surfaced deposits, 1056
Metal forming
Influence of strip materials on behavior of incremental in-plane bending, 190
Compression spinning of circular magnesium tube using heated roller tool, 540
Differential heating forming of solid and bi-metallic hollow parts, 564
Graphite coating of tool steel by pressure spraying, 856

Metal injection molding
Experimental and numerical analysis of metal injection molded products, 1160
Metal matrix composites
Study of tool wear and surface roughness in machining of homogenised SiC-p reinforced aluminium metal matrix composite, 862
Metallic glass
Structure and properties of the composite materials consisting of the nanocrystalline $Fe_{73.5}Cu_1Nb_3Si_{13.5}B_9$ alloy powders and polyethylene, 149
Metal-matrix composites (MMCs)
Influence of milling parameters on the manufacturing of Fe–TiCN composite powders, 59
A methodology for the prediction of standard steady-state wear coefficient in an aluminium-based matrix composite reinforced with alumina particles, 139
Micro parts
A new centerless grinding technique using a surface grinder, 709
Microalloyed steels
Structure and mechanical properties of DP-type and TRIP-type sheets obtained after the thermomechanical processing, 267
Development of alternative as-rolled alloys to replace quenched and tempered steels with tensile strength in the range of 600–800 MPa, 298
Microalloying
Oxidation resistance of nanocrystalline microalloyed γ-TiAl coatings under isothermal conditions and thermal fatigue, 947
Microcontroller
Programmable controller designed for electro-pneumatic systems, 1459
Micro-crack
Micro-cracking of low carbon steel in hot-forming processes, 447
Micro-end-milling
A study on roughness of the micro-end-milled surface produced by a miniatured machine tool, 702
Micro-hardness
Structure and properties of PVD and CVD coated Al_2O_3 + TiC mixed oxide tool ceramics for dry on high speed cutting processes, 822
Structure and properties of wear resistance PVD coatings deposited onto X37CrMoV5-1 type hot work steel, 843
Cutting properties of the Al_2O_3 + $SiC_{(w)}$ based tool ceramic reinforced with the PVD and CVD wear resistant coatings, 924
Structure, physical properties and fractal character of surface topography of the Ti + TiC coatings on sintered high speed steel, 1519
Microhardness
Comparison of the structure and properties of the PVD and CVD coatings deposited on nitride tool ceramics, 832
Microprocessor-based control
Advancements in pulse gas metal arc welding, 1113
Micro-segregation
Modelling of the micro-segregation of twin-roll thin strip casting, 591
Microsegregation
Multiscale model of segregation process, 766
Microstructural degradation
Effect of post weld heat treatment on the oxide scaling of Cr–Mo steel weldments, 964
Microstructure and mechanical properties
Charge materials and technology of melt and structure of gray cast iron, 465
Microstructure evolution
Microstructure prediction of Nimonic 80A for large exhaust valve during hot closed die forging, 504
Microstructures
Microstructure of rapidly solidified Cu–Al–Ni shape memory alloy ribbons, 220
Optical and mechanical properties of an Al–Mg alloy processed by ECAE, 317
Influence of heat treatment on the microstructure and mechanical properties of 6005 and 6082 aluminium alloys, 367
Effect of high strain rate on plastic deformation of a low alloy steel subjected to ballistic impact, 385
Micro-cracking of low carbon steel in hot-forming processes, 447
The characteristics of grain size controlled microstructure and mechanical properties of Al-Si alloy by thixocasting and rheocasting process, 570
Manganese–nitrogen–sulphur surface layers produced on aluminium alloys, 919
Milling process
Types of mid-frequency vibrations appearing during the rolling mill operation, 461
Miniaturized machine tools
A study on roughness of the micro-end-milled surface produced by a miniatured machine tool, 702
Measurement of geometric errors in a miniaturized machine tool using capacitance sensors, 1402
Mixing
Use of machines for liquid manure aerating and mixing, 744
Mn
The course of the peritectic transformation in the Al-rich Al–Fe–Mn–Si alloys, 422
Mn–N–S layers
Manganese–nitrogen–sulphur surface layers produced on aluminium alloys, 919
Model
Method for generation of rheological model to characterize non-conventional injection molding by means of spiral mold, 477
Absorbed energy in laser truing of a small vitrified CBN grinding wheel, 1128
Modeling
A methodology for the prediction of standard steady-state wear coefficient in an aluminium-based matrix composite reinforced with alumina particles, 139
Modeling of manufacturing systems and robot motions, 1369
Modeling of manufacturing processes by learning systems: The naïve Bayesian classifier versus artificial neural networks, 1430
Modelling
Modelling of the micro-segregation of twin-roll thin strip casting, 591
High-speed precise machine tools spindle units improving, 615
Design of grinding factors based on response surface methodology, 629
The use of networked IPC techniques in hybrid description of a simulation model, 1336
Modelling of mechanical systems vibrations by utilisation of GRAFSIM software, 1466
Application of neural networks for designing the chemical composition of steel with the assumed hardness after cooling from the austenitising temperature, 1637
Modification
Effect of superheating temperatures on microstructure and properties of strontium modified aluminium–silicon eutectic alloy, 312
Modified influence function method
Study of work roll edge contact in asymmetrical rolling by modified influence function method, 512
Modified Yoshida buckling test
Buckling limit diagrams (BLDs) of interstitial free steels (IFS): Comparison of experimental and finite element analysis, 1487

Mold
Method for generation of rheological model to characterize non-conventional injection molding by means of spiral mold, 477
Monitoring
Artificial intelligence applied to automatic supervision, diagnosis and control in sheet metal stamping processes, 1351
Monolayer coatings
Structure and properties of the cutting tools made from cemented carbides and cermets with the TiN + mono-, gradient- or multi(Ti, Al, Si)N + TiN nanocrystalline coatings, 805
Mössbauer spectroscopy
Influence of structure on the evolution of magnetic and mechanical properties of amorphous and nanocrystalline $Fe_{85.4}Hf_{1.4}B_{13.2}$ alloy, 254
Moulding shrinkage
Change in injection moulded parts shrinkage and weight as a function of processing conditions, 109
Multi beads
A neutron diffraction study of residual stress due to welding, 1099
Multiaxial state of stress
Manufacture and multiaxial test of composite tube specimens with braided glass fiber reinforcement, 65
Multi-component coatings
Structure and properties of PVD and CVD coated Al_2O_3 + TiC mixed oxide tool ceramics for dry on high speed cutting processes, 822
Comparison of the structure and properties of the PVD and CVD coatings deposited on nitride tool ceramics, 832
Multicomponent coatings
Cutting properties of the Al_2O_3 + $SiC_{(w)}$ based tool ceramic reinforced with the PVD and CVD wear resistant coatings, 924
Multi-layer coatings
Structure and properties of PVD and CVD coated Al_2O_3 + TiC mixed oxide tool ceramics for dry on high speed cutting processes, 822
Comparison of the structure and properties of the PVD and CVD coatings deposited on nitride tool ceramics, 832
Multilayer coatings
Structure and properties of the cutting tools made from cemented carbides and cermets with the TiN + mono-, gradient- or multi(Ti, Al, Si)N + TiN nanocrystalline coatings, 805
Corrosion resistance of multilayer coatings deposited by PVD techniques onto the brass substrate, 816
Cutting properties of the Al_2O_3 + $SiC_{(w)}$ based tool ceramic reinforced with the PVD and CVD wear resistant coatings, 924
Multiple-axis
A mathematical approach for analyzing ultra precision positioning system with compliant mechanism, 1584
Multiscale modelling
Multiscale model of segregation process, 766
Multivariant processes
Integration of the CAD/CAPP/PPC systems, 1358

Naïve Bayesian classifier
Modeling of manufacturing processes by learning systems: The naïve Bayesian classifier versus artificial neural networks, 1430
Nanocomposites
Ferromagnetic properties of polymer nanocomposites containing $Fe_{78}Si_9B_{13}$ powder particles, 242
Nanocrystalline alloys
Influence of structure on the evolution of magnetic and mechanical properties of amorphous and nanocrystalline $Fe_{85.4}Hf_{1.4}B_{13.2}$ alloy, 254
Nanocrystalline coatings
Oxidation resistance of nanocrystalline microalloyed γ-TiAl coatings under isothermal conditions and thermal fatigue, 947
Nanocrystalline composite
Structure and properties of the composite materials consisting of the nanocrystalline $Fe_{73.5}Cu_1Nb_3Si_{13.5}B_9$ alloy powders and polyethylene, 149
Nanocrystalline powder
Structure and properties of the composite materials consisting of the nanocrystalline $Fe_{73.5}Cu_1Nb_3Si_{13.5}B_9$ alloy powders and polyethylene, 149
Nanocrystalline structure
Ferromagnetic properties of polymer nanocomposites containing $Fe_{78}Si_9B_{13}$ powder particles, 242
Electrochemical corrosion and its influence on magnetic properties of $Fe_{75.5}Si_{13.5}B_9Nb_3Cu_1$ alloy, 940
Nanocrystallization
Crystallization in $Fe_{76}X_2B_{22}$ (X = Cr, Zr, Nb) amorphous alloys, 203
Nanoindentation
A study on nano-deformation behavior of rheo-formed Al–Si alloy based on depth-sensing indentation with three-dimensional surface analysis, 260
Nanomaterials
Temperature of nanocrystallisation of magnetically soft alloys for high-temperature applications, 215
Natural ageing
Performance development requirements for elastomers of electric power network insulators, 102
Natural convection
Experimental and numerical analysis of natural convection for Al–5.5% Cu alloy, 1479
NC interface
Intelligent interface in a flexible production environment, 1309
NC programming
Evolutionary programming of CNC machines, 1379
Nd:YAG
The use of Nd:YAG laser weld for large scale volume assembly of automotive body in white, 1120
Nd–Fe–B
Corrosion resistance of the polymer matrix hard magnetic composite materials Nd–Fe–B, 795
Neural network
Corrosion resistance of the polymer matrix hard magnetic composite materials Nd–Fe–B, 795
A study on on-line learning neural network for prediction for rolling force in hot-rolling mill, 1612
Application of neural networks for designing the chemical composition of steel with the assumed hardness after cooling from the austenitising temperature, 1637
Neutron diffraction
A neutron diffraction study of residual stress due to welding, 1099
New structures
The expansion of the synthesized structures of mechanical discrete systems represented by polar graphs, 1277
Nimonic 80A
Microstructure prediction of Nimonic 80A for large exhaust valve during hot closed die forging, 504
Niobium content
The influence of niobium and aging treatment in the 18% Ni maraging steel, 342
NiTi
NiTi SMA production using ceramic filter during pouring the melt, 116
Characterization of a $Ni_{50}Ti_{50}$ shape memory strip produced by twin roll casting technique, 178
Nitride ceramics
Comparison of the structure and properties of the PVD and CVD coatings deposited on nitride tool ceramics, 832

Noise filtering
Development of a programme system for data-point pre-processing in Reverse Engineering, 730
Non-axisymmetric deep drawing process
Industrial application of surface area calculating system (SACS) in non-axisymmetric deep drawing process, 1578
Non-probabilistic information
Failure mode analysis using axiomatic design and non-probabilistic information, 1423
Non-uniform deformation
The effect of ductility minimum temperature in CuNi25 alloy, 379
No-slip condition
Experimental and numerical analysis of natural convection for Al–5.5% Cu alloy, 1479
Notching
Machining of nickel-base, Inconel 718, alloy with ceramic tools under finishing conditions with various coolant supply pressures, 609
Nozzle
Comparison of two different nozzles for laser beam welding of AA5083 aluminium alloy, 971
Numerical calculation
Numerical simulation of three-rolls cross-wedge rolling of hollowed shaft, 1154
Numerical copying
Rapid prototyping processes give new possibilities to numerical copying techniques, 1416
Numerical simulation
Thermo-mechanical stresses in cast steel dies during glass pressing process, 484
Multiscale model of segregation process, 766
A three-dimensional simulation of shot peening process using multiple shot impacts, 1226
Rheological parameters identification using in situ experimental data of a flat die extrusion, 1524
A numerical simulation of temperature field in plasma-arc forming of sheet metal, 1644

Objective function
Testing of machinability of mould steel 40CrMnMo7 using genetic algorithm, 1624
Oesophageal stent
Biomechanical analysis of stent–oesophagus system, 196
One-sided uniaxial pressing
Structure and properties of the composite materials consisting of the nanocrystalline $Fe_{73.5}Cu_1Nb_3Si_{13.5}B_9$ alloy powders and polyethylene, 149
On-line learning
A study on on-line learning neural network for prediction for rolling force in hot-rolling mill, 1612
Optical microscopy
Optical and mechanical properties of an Al–Mg alloy processed by ECAE, 317
Optimisation
Development of collapsible PET water fountain bottles, 83
Application of genetic methods in materials' design, 1607
Optimization annealing
Influence of structure on the evolution of magnetic and mechanical properties of amorphous and nanocrystalline $Fe_{85.4}Hf_{1.4}B_{13.2}$ alloy, 254
Optimization
Design of grinding factors based on response surface methodology, 629
Optimizing the laser-welded butt joints of medium carbon steel using RSM, 986
An overview of data acquisition system for cutting force measuring and optimization in milling, 1281
Increasing the stability of the deep drawing process by simulation-based optimization, 1343
Optimum die angle
Experimental and numerical study of optimal die profile in cold forward rod extrusion of aluminum, 1572
Optimum die profile
Experimental and numerical study of optimal die profile in cold forward rod extrusion of aluminum, 1572
Optimum threshold
A problem of emphasizing features of a surface roughness by means the Discrete Wavelet Transform, 1410
Orthogonal cutting
Numerical modelling of orthogonal cutting: influence of numerical parameters, 1148
O-temper
The effect of tempering on low cycle fatigue behavior of Al-2024, 362
Oxidation resistance
Oxidation models of the growth of corrosion products on the intermetallic coatings strengthened by a fine dispersive Al_2O_3, 935
Oxide ceramics
Structure and properties of PVD and CVD coated Al_2O_3 + TiC mixed oxide tool ceramics for dry on high speed cutting processes, 822
Cutting properties of the Al_2O_3 + $SiC_{(w)}$ based tool ceramic reinforced with the PVD and CVD wear resistant coatings, 924
Oxide scaling
Effect of post weld heat treatment on the oxide scaling of Cr–Mo steel weldments, 964
Oxygen
Comparison of the friction and wear properties of titanium and oxidised titanium in dry sliding against sintered high speed steel HS18-0-1 and against C45 carbon steel, 868

Parameter estimation method
Algorithm of the mould thermal parameters identification in the system casting–mould–environment, 1544
Parametric model
Study of roundness on cylindrical bars turned of aluminium–copper alloys UNS A92024, 644
Part deflection
Error compensation strategy in milling flexible thin-wall parts, 673
Particle
Arc spray forming, 1032
Partition of unity
Modeling of pressure-sensitive materials using a cap plasticity theory in extended finite element method, 1248
Passive layers
Influence of the anodic oxidation on the physicochemical properties of the Ti6Al4V ELI alloy, 163
PCD
Preparation of materials based on Ti–Si–C system using high temperature–high pressure method, 184
Characterisation of the wear behaviour of polycrystalline diamond (PCD) tools when machining wood-based composites, 665
Performance requirements
Performance development requirements for elastomers of electric power network insulators, 102
Peritectic transformation
The course of the peritectic transformation in the Al-rich Al–Fe–Mn–Si alloys, 422
Permanent magnets
Corrosion resistance of the polymer matrix hard magnetic composite materials Nd–Fe–B, 795
Persistent slip band
The effect of tempering on low cycle fatigue behavior of Al-2024, 362

PET
Development of collapsible PET water fountain bottles, 83
Petri network
Modeling of manufacturing systems and robot motions, 1369
Phase transformation
A numerical analysis of the formability of unstable austenitic steels, 1241
Piezoelectric plate
Solution for a cracked piezoelectric plate subjected to variable load on plastic zones under mode-I deformation, 1495
Pin-on-disc
Structure and properties of PVD and CVD coated Al_2O_3 + TiC mixed oxide tool ceramics for dry on high speed cutting processes, 822
Cutting properties of the Al_2O_3 + $SiC_{(w)}$ based tool ceramic reinforced with the PVD and CVD wear resistant coatings, 924
Pitting wear
Numerical modelling of fatigue crack's initiation in rolling contact of sintered steels, 1185
Plasma arc
A numerical simulation of temperature field in plasma-arc forming of sheet metal, 1644
Plastic deformation
Machining of nickel-base, Inconel 718, alloy with ceramic tools under finishing conditions with various coolant supply pressures, 609
Plastic instability
Analytical and numerical analysis of bursting failure prediction in tube hydroforming, 1618
Plastic strain rate
The effect of tempering on low cycle fatigue behavior of Al-2024, 362
Plastic zone
Solution for a cracked piezoelectric plate subjected to variable load on plastic zones under mode-I deformation, 1495
Plasticity
Experimental and numerical simulation of tube hydroforming (THF), 1140
Plateau
The effect of tempering on low cycle fatigue behavior of Al-2024, 362
PLM
The specialities of fibre-reinforced plastics in terms of product life-cycle management, 725
Polarisation curve
Structure, properties and corrosion resistance of PM composite materials based on EN AW-2124 aluminum alloy reinforced with the Al_2O_3 ceramic particles, 27
Polymer compounds
Study and development of LDPE/starch partially biodegradable compounds, 236
Polymer degradation
Performance development requirements for elastomers of electric power network insulators, 102
Polymer
Rheological parameters identification using in situ experimental data of a flat die extrusion, 1524
Polymeric insulators
Performance development requirements for elastomers of electric power network insulators, 102
Poly-optimisation
Use of SLFET for design of flash gap with V-notched lands in a closed-die forging, 558
Polyoxymethylene
Change in injection moulded parts shrinkage and weight as a function of processing conditions, 109
Polystyrene
Change in injection moulded parts shrinkage and weight as a function of processing conditions, 109
Postprocession
Intelligent interface in a flexible production environment, 1309
Powder cores
Ferromagnetic properties of polymer nanocomposites containing $Fe_{78}Si_9B_{13}$ powder particles, 242
Powder injection moulding
Comparison of structure and properties of the HS12-1-5-5 type high-speed steel fabricated using the pressureless forming and PIM methods, 230
Powder metallurgy
Structure, properties and corrosion resistance of PM composite materials based on EN AW-2124 aluminum alloy reinforced with the Al_2O_3 ceramic particles, 27
Comparison of structure and properties of the HS12-1-5-5 type high-speed steel fabricated using the pressureless forming and PIM methods, 230
Properties of vacuum sintered duplex stainless steels, 286
Powders
Soft magnetic nanocomposite with powdered metallic ribbon based on cobalt and polymer matrix, 20
Precipitate free zone
The effect of tempering on low cycle fatigue behavior of Al-2024, 362
Prediction of costs
Prediction of total manufacturing costs for stamping tool on the basis of CAD-model of finished product, 1327
Preforming
Cavity minimization and uniformity studies on superplastic forming of thin eutectic Pb–Sn sheet by optimum loading and preforming, 519
Press tool
An intelligent system for selection of die-set of metal stamping press tool, 1395
Pressure pin
Under surface pressure sensing technique for the evaluation of contact stresses, 1537
Pressure spraying
Graphite coating of tool steel by pressure spraying, 856
Pressure vessel
A study on failure characteristic of spherical pressure vessel, 882
Pressureless forming
Comparison of structure and properties of the HS12-1-5-5 type high-speed steel fabricated using the pressureless forming and PIM methods, 230
Probability
Failure mode analysis using axiomatic design and non-probabilistic information, 1423
Process analysis
Comparison between finite element method and analytical methods for studying wire drawing processes, 1218
Process design
Application of Six Sigma methodology for process design, 777
Process map
Application of Six Sigma methodology for process design, 777
Process planning
Integration of the CAD/CAPP/PPC systems, 1358
Process simulation
Analysis of the influence of back-pull in drawing process by the finite element method, 1167
Processing conditions
Change in injection moulded parts shrinkage and weight as a function of processing conditions, 109
Processing
The influence of extrusion variables on the interfacial adhesion and mechanical properties of recycled PET composites, 90

Production flow synchronisation
The method of the production flow synchronisation using the meta-rule conception, 1301
Production process
Quality estimation of process with usage control charts type X-R and quality capability of process C_p, C_{pk}, 736
Production systems
Environmental management inside production systems, 759
Productive chain
Chosen aspects of evaluation of productive processes on the example of productive chains of sections type V29, 770
Programmable controller
Programmable controller designed for electro-pneumatic systems, 1459
Properties
Investigations of the influence of compatibilizer and filler type on the properties of chosen polymer blends, 52
Preparation of materials based on Ti–Si–C system using high temperature–high pressure method, 184
Protective coatings
Corrosion resistance of the polymer matrix hard magnetic composite materials Nd–Fe–B, 795
Pulse gas metal arc welding
Advancements in pulse gas metal arc welding, 1113
Pulsed gas metal arc welding
Meeting challenges in welding of aluminum alloys through pulse gas metal arc welding, 1106
PVD coatings
Structure and properties of wear resistance PVD coatings deposited onto X37CrMoV5-1 type hot work steel, 843
Structure, physical properties and fractal character of surface topography of the Ti + TiC coatings on sintered high speed steel, 1519
PVD
Structure and properties of the cutting tools made from cemented carbides and cermets with the TiN + mono-, gradient- or multi(Ti, Al, Si)N + TiN nanocrystalline coatings, 805
Corrosion resistance of multilayer coatings deposited by PVD techniques onto the brass substrate, 816
Structure and properties of PVD and CVD coated Al_2O_3 + TiC mixed oxide tool ceramics for dry on high speed cutting processes, 822
Comparison of the structure and properties of the PVD and CVD coatings deposited on nitride tool ceramics, 832
Cutting properties of the Al_2O_3 + $SiC_{(w)}$ based tool ceramic reinforced with the PVD and CVD wear resistant coatings, 924
PWHT
Effect of post weld heat treatment on the oxide scaling of Cr–Mo steel weldments, 964

QMS design
Implementation of APQP-concept in design of QMS, 718
QMS
Environmental management inside production systems, 759
Quality capability of process C_p
Quality estimation of process with usage control charts type X-R and quality capability of process C_p, C_{pk}, 736
Quality control
Quality estimation of process with usage control charts type X-R and quality capability of process C_p, C_{pk}, 736
Quality costs
The usage of The Balanced Scorecard for the estimation of the enterprise's effectiveness, 751
Quality improvement
Quality estimation of process with usage control charts type X-R and quality capability of process C_p, C_{pk}, 736
Quality management system
The usage of The Balanced Scorecard for the estimation of the enterprise's effectiveness, 751
Quality steering
Quality estimation of process with usage control charts type X-R and quality capability of process C_p, C_{pk}, 736
Quality
Chosen aspects of evaluation of productive processes on the example of productive chains of sections type V29, 770

Radiographic test
The influence of welding heat input on submerged arc welded duplex steel joints imperfections, 1082
Rapid prototyping
Rapid prototyping processes give new possibilities to numerical copying techniques, 1416
Rapid solidification
Modelling of the micro-segregation of twin-roll thin strip casting, 591
Recrystallization temperature
Compression spinning of circular magnesium tube using heated roller tool, 540
Recycled PET
The influence of extrusion variables on the interfacial adhesion and mechanical properties of recycled PET composites, 90
Recycled
Method for generation of rheological model to characterize non-conventional injection molding by means of spiral mold, 477
Reengineering
Environmental management inside production systems, 759
Regression
Design of grinding factors based on response surface methodology, 629
Regulating wheel
A new centerless grinding technique using a surface grinder, 709
Reheating process
The effect of raw material fabrication process on microstructural characteristics in reheating process for semi-solid forming, 402
Remelting
Comparison of the structures of the hot-work tool steels laser modified surface layers, 1014
Repairing welding
Repairing of sintered tools using laser cladding by wire, 990
Rescheduling
Integration of the CAD/CAPP/PPC systems, 1358
Residual life
The classification method and the technical condition evaluation of the critical elements' material of power boilers in creep service made from the 12Cr–1Mo–V, 785
Residual stress
Effect of processing temperature on warm shot peening of spring steel, 498
A neutron diffraction study of residual stress due to welding, 1099
A three-dimensional simulation of shot peening process using multiple shot impacts, 1226
Resin auxiliary sheets
Influence of resin dies and resin auxiliary sheets on deep drawability of metal foil, 530
Resin die
Influence of resin dies and resin auxiliary sheets on deep drawability of metal foil, 530
Response surface methodology
Design of grinding factors based on response surface methodology, 629
A study on roughness of the micro-end-milled surface produced by a miniatured machine tool, 702

Retained austenite
Evaluation of retained austenite stability in heat treated cold work tool steel, 327
The kinetics of phase transformations during tempering in structural steels with nickel, 442
Reverse Engineering
Application of Incremental Forming process for high customised medical product manufacturing, 156
Development of a programme system for data-point pre-processing in Reverse Engineering, 730
Rheo die casting
The characteristics of grain size controlled microstructure and mechanical properties of Al-Si alloy by thixocasting and rheocasting process, 570
Rheological
Method for generation of rheological model to characterize non-conventional injection molding by means of spiral mold, 477
Rietveld analysis
Microstructure of Ni(Cr)–TiC–Cr_3C_2–Cr_7C_3 composite powder, 15
Robot motion planning
Modeling of manufacturing systems and robot motions, 1369
Robotic GMA welding
Fuzzy regression method for prediction and control the bead width in the robotic arc-welding process, 1134
Roll edge contact
Study of work roll edge contact in asymmetrical rolling by modified influence function method, 512
Rolling contact
Numerical modelling of fatigue crack's initiation in rolling contact of sintered steels, 1185
Rolling force
Adaptive calculation of deformation resistance model of online process control in tandem cold mill, 585
A study on on-line learning neural network for prediction for rolling force in hot-rolling mill, 1612
Rolling stand
Numerical analysis of the vertical vibrations of rolling mills and their negative effect on the sheet quality, 546
Roundness
Study of roundness on cylindrical bars turned of aluminium–copper alloys UNS A92024, 644
RSM
Effect of laser welding parameters on the heat input and weld-bead profile, 978
Optimizing the laser-welded butt joints of medium carbon steel using RSM, 986
Surface roughness prediction model by design of experiments for turning machinable glass–ceramic (Macor), 1289

Sand casting
Grain refinement of LM6 Al–Si alloy sand castings to enhance mechanical properties, 435
Chill material and size effects on HTC evolution in sand casting of aluminum alloys, 534
Scheduling
Integration of the CAD/CAPP/PPC systems, 1358
Scratch test
Structure and properties of PVD and CVD coated Al_2O_3 + TiC mixed oxide tool ceramics for dry on high speed cutting processes, 822
Comparison of the structure and properties of the PVD and CVD coatings deposited on nitride tool ceramics, 832
Cutting properties of the Al_2O_3 + $SiC_{(w)}$ based tool ceramic reinforced with the PVD and CVD wear resistant coatings, 924
Sealing
New generation of protective coatings intended for the power industry, 850
Seam welds
The effect of die design on the production and seam weld quality of extruded aluminum profiles, 1025
Sea-water
Hydrogen assisted cracking of high-strength weldable steels in sea-water, 1007
Secondary austenite
Structure and properties of the heat-affected zone of duplex steels welded joints, 1074
Secondary hardness
Application of genetic methods in materials' design, 1607
Seismic loading
The FEM analysis of the behavior of a welded column–joist joint under seismic loading, 1269
Self excited-parametric vibrations
Numerical analysis of the vertical vibrations of rolling mills and their negative effect on the sheet quality, 546
Self-excited parametric oscillations
Types of mid-frequency vibrations appearing during the rolling mill operation, 461
SEM
Structure and properties of the cutting tools made from cemented carbides and cermets with the TiN + mono-, gradient- or multi(Ti, Al, Si)N + TiN nanocrystalline coatings, 805
Structure and properties of PVD and CVD coated Al_2O_3 + TiC mixed oxide tool ceramics for dry on high speed cutting processes, 822
Comparison of the structure and properties of the PVD and CVD coatings deposited on nitride tool ceramics, 832
Cutting properties of the Al_2O_3 + $SiC_{(w)}$ based tool ceramic reinforced with the PVD and CVD wear resistant coatings, 924
Semi-solid Al–Si–Mg alloy
A study on nano-deformation behavior of rheo-formed Al–Si alloy based on depth-sensing indentation with three-dimensional surface analysis, 260
Shape memory alloy
Characterization of a $Ni_{50}Ti_{50}$ shape memory strip produced by twin roll casting technique, 178
Shape memory alloys
Microstructure of rapidly solidified Cu–Al–Ni shape memory alloy ribbons, 220
Shape memory
NiTi SMA production using ceramic filter during pouring the melt, 116
Shape recovery
Characterization of a $Ni_{50}Ti_{50}$ shape memory strip produced by twin roll casting technique, 178
Shearing deformation
Deformation analysis for the shear bending process of circular tubes, 492
Sheet forming
An experimental study on the forming parameters of deep-drawable steel sheets in automotive industry, 471
Sheet instability
Buckling limit diagrams (BLDs) of interstitial free steels (IFS): Comparison of experimental and finite element analysis, 1487
Sheet metal forming
Incremental sheet metal forming on CNC milling machine-tool, 622
Effect of forming and calibration operations on the final shape of large diameter welded tubes, 1089
A numerical analysis of the formability of unstable austenitic steels, 1241
Sheet metal
A numerical simulation of temperature field in plasma-arc forming of sheet metal, 1644

Shielding gas mixture
Welding and environmental test condition effect in weldability and strength of Al alloy, 1038
Shoe
A new centerless grinding technique using a surface grinder, 709
Shot peening
Effect of processing temperature on warm shot peening of spring steel, 498
A three-dimensional simulation of shot peening process using multiple shot impacts, 1226
SHS ceramic powders
Preparation of materials based on Ti–Si–C system using high temperature–high pressure method, 184
SiC
Adhesive wear behaviour of B_4C and SiC reinforced 4147 Al matrix composites (Al/B_4C–Al/SiC), 71
Cutting properties of the Al_2O_3 + $SiC_{(w)}$ based tool ceramic reinforced with the PVD and CVD wear resistant coatings, 924
Si_3N_4
Comparison of the structure and properties of the PVD and CVD coatings deposited on nitride tool ceramics, 832
Silicon bronze
Influence of deformation sequence of monotonic tests on behaviour of CuSi3.5 bronze, 304
Silicon carbo-nitride
Chemical modification and the attending surface hardness of low alloy steel through medium energy nitrogen ion implantation, 905
Simulation
Simulation of composite microregions solidification process, 1175
Simulation of solidification process for composite micro-region with incomplete wetting of reinforcing particle, 1181
The use of networked IPC techniques in hybrid description of a simulation model, 1336
Sintered steel
Numerical modelling of fatigue crack's initiation in rolling contact of sintered steels, 1185
Sintering
Comparison of structure and properties of the HS12-1-5-5 type high-speed steel fabricated using the pressureless forming and PIM methods, 230
Six Sigma
Application of Six Sigma methodology for process design, 777
Slab method
Calculation of the forward tension in drawing processes, 551
Analysis of the influence of back-pull in drawing process by the finite element method, 1167
Sleeve cam
Numerical approach to forging process of a gear with inner cam profile using FEM, 1212
SLFET analysis
Use of SLFET for design of flash gap with V-notched lands in a closed-die forging, 558
Small bending radius
Deformation analysis for the shear bending process of circular tubes, 492
Soft magnetic materials
Temperature of nanocrystallisation of magnetically soft alloys for high-temperature applications, 215
Softening
Deformation behaviour of an AS21 alloy reinforced by short Saffil fibres and SiC particles, 131
Solidification process
Algorithm of the mould thermal parameters identification in the system casting–mould–environment, 1544
Solidification rate
Grain refinement of LM6 Al–Si alloy sand castings to enhance mechanical properties, 435
Solidification
Effect of superheating temperatures on microstructure and properties of strontium modified aluminium–silicon eutectic alloy, 312
Simulation of composite microregions solidification process, 1175
Simulation of solidification process for composite micro-region with incomplete wetting of reinforcing particle, 1181
Experimental and numerical analysis of natural convection for Al–5.5% Cu alloy, 1479
Solution annealing
The influence of niobium and aging treatment in the 18% Ni maraging steel, 342
Spatter
The use of Nd:YAG laser weld for large scale volume assembly of automotive body in white, 1120
Spindle
High-speed precise machine tools spindle units improving, 615
Spinning forming
A study on failure characteristic of spherical pressure vessel, 882
Spinning
Compression spinning of circular magnesium tube using heated roller tool, 540
Spiral
Method for generation of rheological model to characterize non-conventional injection molding by means of spiral mold, 477
Spring steel
Effect of processing temperature on warm shot peening of spring steel, 498
Stability of magnetic properties
Temperature of nanocrystallisation of magnetically soft alloys for high-temperature applications, 215
Stability
Increasing the stability of the deep drawing process by simulation-based optimization, 1343
Stabilization
Evaluation of retained austenite stability in heat treated cold work tool steel, 327
304 stainless steel
High-speed end-milling of AISI 304 stainless steels using new geometrically developed carbide inserts, 596
Stamping
Prediction of total manufacturing costs for stamping tool on the basis of CAD-model of finished product, 1327
Starch
Study and development of LDPE/starch partially biodegradable compounds, 236
Statistic analysis
Change in injection moulded parts shrinkage and weight as a function of processing conditions, 109
Steady-state wear
A methodology for the prediction of standard steady-state wear coefficient in an aluminium-based matrix composite reinforced with alumina particles, 139
Steel X20CrMoV121
The classification method and the technical condition evaluation of the critical elements' material of power boilers in creep service made from the 12Cr–1Mo–V, 785
Stiffness
An experimental study on the behavior of glass–epoxy composite at low strain rates, 39
Strain path
Influence of deformation sequence of monotonic tests on behaviour of CuSi3.5 bronze, 304
Strain rate
An experimental study on the behavior of glass–epoxy composite at low strain rates, 39

A tensile impact apparatus for characterization of fibrous composites at high strain rates, 76
Strength
An experimental study on the behavior of glass–epoxy composite at low strain rates, 39
A tensile impact apparatus for characterization of fibrous composites at high strain rates, 76
Stress corrosion cracking
Hydrogen assisted cracking of high-strength weldable steels in seawater, 1007
Stresses
Employment of the finite element method for determining stresses in coatings obtained on high-speed steel with the PVD process, 1192
Strip material
Influence of strip materials on behavior of incremental in-plane bending, 190
Strip
Numerical analysis of the vertical vibrations of rolling mills and their negative effect on the sheet quality, 546
Structure changes
Chemical pipelines material fatigue, 897
Structure
Changes in the structure of alloy on the matrix of FeAl intermetallic phase after primary crystallization and homogenizing treatment, 4
Al–FeAl–TiAl–Al_2O_3 composite with hybrid reinforcement, 33
Structure and properties of wear resistance PVD coatings deposited onto X37CrMoV5-1 type hot work steel, 843
Sub-element
Modeling of pressure-sensitive materials using a cap plasticity theory in extended finite element method, 1248
Submerged arc welding
The influence of welding heat input on submerged arc welded duplex steel joints imperfections, 1082
Superplastic deformation
EBSD characterization of cavitation during superplastic deformation of Al–Li alloy, 429
Superplastic forming
Cavity minimization and uniformity studies on superplastic forming of thin eutectic Pb–Sn sheet by optimum loading and preforming, 519
Supersolidus liquid phase sintering
Enhancement of liquid phase sintering through Al–Si additions to Al–Cu systems, 280
Surface area calculating system (SACS)
Industrial application of surface area calculating system (SACS) in non-axisymmetric deep drawing process, 1578
Surface flaw
Deformation analysis of surface flaws in stainless steel wire drawing, 579
Surface layer
Comparison of the structures of the hot-work tool steels laser modified surface layers, 1014
Surface modification
Chemical modification and the attending surface hardness of low alloy steel through medium energy nitrogen ion implantation, 905
Surface phenomena
Vacuum carburizing—process optimization, 876
Surface quality
Surface roughness of AA7050 alloy turned bars. Analysis of the influence of the length of machining, 682
Surface roughness
Chemical etching of Cu-ETP copper, 275
Design of grinding factors based on response surface methodology, 629
Surface roughness of AA7050 alloy turned bars. Analysis of the influence of the length of machining, 682
Analysis of factors affecting the high-speed side milling of hardened die steels, 696
A study on roughness of the micro-end-milled surface produced by a miniatured machine tool, 702
Study of tool wear and surface roughness in machining of homogenised SiC-p reinforced aluminium metal matrix composite, 862
Surface roughness prediction model by design of experiments for turning machinable glass–ceramic (Macor), 1289
A problem of emphasizing features of a surface roughness by means the Discrete Wavelet Transform, 1410
Spacing roughness parameters study on the EDM of silicon carbide, 1590
Surface treatment
Effect of processing temperature on warm shot peening of spring steel, 498
Surfacing
The study of properties of Ni–WC wires surfaced deposits, 1046
Abrasion resistance of GMA metal cored wires surfaced deposits, 1056
SVD
Evolutionary design of generalized polynomial neural networks for modelling and prediction of explosive forming process, 1561
Synergic systems
Advancements in pulse gas metal arc welding, 1113
Synthesis
The expansion of the synthesized structures of mechanical discrete systems represented by polar graphs, 1277
Synthetic cutting oils
Environmental management inside production systems, 759

T6-temper
The effect of tempering on low cycle fatigue behavior of Al-2024, 362
Taguchi method
Fuzzy regression method for prediction and control the bead width in the robotic arc-welding process, 1134
Tandem cold mill
Adaptive calculation of deformation resistance model of online process control in tandem cold mill, 585
Technological concept
Intermetallic alloys with ceramic particles and technological concept for high loaded materials, 46
TEM
Microstructure of Ni(Cr)–TiC–Cr_3C_2–Cr_7C_3 composite powder, 15
Structure and properties of the cutting tools made from cemented carbides and cermets with the TiN + mono-, gradient- or multi(Ti, Al, Si)N + TiN nanocrystalline coatings, 805
Structure and properties of PVD and CVD coated Al_2O_3 + TiC mixed oxide tool ceramics for dry on high speed cutting processes, 822
Comparison of the structure and properties of the PVD and CVD coatings deposited on nitride tool ceramics, 832
Cutting properties of the Al_2O_3 + $SiC_{(w)}$ based tool ceramic reinforced with the PVD and CVD wear resistant coatings, 924
Temperature field
A numerical simulation of temperature field in plasma-arc forming of sheet metal, 1644
Temperature
Modeling the combined effects of temperature and frequency on fatigue crack growth of chlorinated polyvinyl chloride (CPVC), 1550
Tempering
The effect of tempering on low cycle fatigue behavior of Al-2024, 362

Tensile test
Optical and mechanical properties of an Al–Mg alloy processed by ECAE, 317
Tension test
Modelling of formula for flow stress of a magnesium alloy AZ31 sheet at elevated temperatures, 1258
Test temperature
Welding and environmental test condition effect in weldability and strength of Al alloy, 1038
Texture
Structure, physical properties and fractal character of surface topography of the Ti + TiC coatings on sintered high speed steel, 1519
The Balanced Scorecard
The usage of The Balanced Scorecard for the estimation of the enterprise's effectiveness, 751
Thermal fatigue
Oxidation resistance of nanocrystalline microalloyed γ-TiAl coatings under isothermal conditions and thermal fatigue, 947
Thermal nanocrystallization
Structure and properties of the composite materials consisting of the nanocrystalline $Fe_{73.5}Cu_1Nb_3Si_{13.5}B_9$ alloy powders and polyethylene, 149
Thermal spraying
New generation of protective coatings intended for the power industry, 850
The study of properties of Ni–W_2C and Co–W_2C powders thermal sprayed deposits, 1068
Thermo-chemical treatment
Vacuum carburizing—process optimization, 876
Thermomechanical processing
Structure and mechanical properties of DP-type and TRIP-type sheets obtained after the thermomechanical processing, 267
Thermomechanical rolling
Processing and properties of C–Mn steel with dual-phase microstructure, 350
Thermo-mechanical stresses
Thermo-mechanical stresses in cast steel dies during glass pressing process, 484
Thickness distribution
Cavity minimization and uniformity studies on superplastic forming of thin eutectic Pb–Sn sheet by optimum loading and preforming, 519
Thinning factor
Cavity minimization and uniformity studies on superplastic forming of thin eutectic Pb–Sn sheet by optimum loading and preforming, 519
Thixo die casting
The characteristics of grain size controlled microstructure and mechanical properties of Al-Si alloy by thixocasting and rheocasting process, 570
Three dimensional modeling module
Industrial application of surface area calculating system (SACS) in non-axisymmetric deep drawing process, 1578
Three-point bending
HVOF coating and laser treatment: three-point bending tests, 954
TiC
Structure and properties of PVD and CVD coated Al_2O_3 + TiC mixed oxide tool ceramics for dry on high speed cutting processes, 822
TiCN
Influence of milling parameters on the manufacturing of Fe–TiCN composite powders, 59
Time
Chosen aspects of evaluation of productive processes on the example of productive chains of sections type V29, 770
Tin α-bronzes
The relationship between hot ductility and intergranular fracture in a CuSn6P alloy at elevated temperatures, 392
TiN coated carbide
High-speed end-milling of AISI 304 stainless steels using new geometrically developed carbide inserts, 596
Titanium alloy
Influence of the anodic oxidation on the physicochemical properties of the Ti6Al4V ELI alloy, 163
Titanium aluminides
Oxidation resistance of nanocrystalline microalloyed γ-TiAl coatings under isothermal conditions and thermal fatigue, 947
Titanium and chromium carbides
Microstructure of Ni(Cr)–TiC–Cr_3C_2–Cr_7C_3 composite powder, 15
Titanium
Comparison of the friction and wear properties of titanium and oxidised titanium in dry sliding against sintered high speed steel HS18-0-1 and against C45 carbon steel, 868
Tool coating
Finite element modelling of temperature distribution in the cutting zone in turning processes with differently coated tools, 1204
Tool design optimisation
Design and optimisation of conformal cooling channels in injection moulding tools, 1294
Tool life
High-speed end-milling of AISI 304 stainless steels using new geometrically developed carbide inserts, 596
Comparison of the structure and properties of the PVD and CVD coatings deposited on nitride tool ceramics, 832
Tool steel
Evaluation of retained austenite stability in heat treated cold work tool steel, 327
Tool stresses
Under surface pressure sensing technique for the evaluation of contact stresses, 1537
Tool wear
Study of tool wear and surface roughness in machining of homogenised SiC-p reinforced aluminium metal matrix composite, 862
Microstructural characterisation of material adhered over cutting tool in the dry machining of aerospace aluminium alloys, 911
Tool-making
Prediction of total manufacturing costs for stamping tool on the basis of CAD-model of finished product, 1327
Transformed ledeburite
The influence of hypereutectoid cementite morphology upon fracture toughness of chromium–nickel–molibdenium cast steel of ledeburite class, 336
Transient wear
A methodology for the prediction of standard steady-state wear coefficient in an aluminium-based matrix composite reinforced with alumina particles, 139
Transition metals
The course of the peritectic transformation in the Al-rich Al–Fe–Mn–Si alloys, 422
Transition state
The method of the production flow synchronisation using the meta-rule conception, 1301
Tribology
Comparison of the friction and wear properties of titanium and oxidised titanium in dry sliding against sintered high speed steel HS18-0-1 and against C45 carbon steel, 868
Manganese–nitrogen–sulphur surface layers produced on aluminium alloys, 919
TRIP steel
A numerical analysis of the formability of unstable austenitic steels, 1241

TRIP-type sheet
Structure and mechanical properties of DP-type and TRIP-type sheets obtained after the thermomechanical processing, 267
Tube bending
Deformation analysis for the shear bending process of circular tubes, 492
Tube forming
Compression spinning of circular magnesium tube using heated roller tool, 540
Tube
Experimental and numerical simulation of tube hydroforming (THF), 1140
Turning
Study of roundness on cylindrical bars turned of aluminium–copper alloys UNS A92024, 644
Effect of lubrication and cutting parameters on ultrasonically assisted turning of Inconel 718, 649
Surface roughness of AA7050 alloy turned bars. Analysis of the influence of the length of machining, 682
Twin roll casting
Characterization of a $Ni_{50}Ti_{50}$ shape memory strip produced by twin roll casting technique, 178
Twin-roll strip casting
Modelling of the micro-segregation of twin-roll thin strip casting, 591

Ultimate tensile strength
Grain refinement of LM6 Al–Si alloy sand castings to enhance mechanical properties, 435
Compression spinning of circular magnesium tube using heated roller tool, 540
Methodology of the mechanical properties prediction for the metallurgical products from the engineering steels using the Artificial Intelligence methods, 1500
Ultra high hardness
Chemical modification and the attending surface hardness of low alloy steel through medium energy nitrogen ion implantation, 905
Ultra precision
A mathematical approach for analyzing ultra precision positioning system with compliant mechanism, 1584
Ultrasonic testing
Ultrasonic methods in diagnostics of epoxy–glass composites, 121
Ultrasonic vibration
Effect of lubrication and cutting parameters on ultrasonically assisted turning of Inconel 718, 649
A new centerless grinding technique using a surface grinder, 709
UNS A92024
Study of roundness on cylindrical bars turned of aluminium–copper alloys UNS A92024, 644

Vacuum carburizing
Vacuum carburizing—process optimization, 876
Vacuum sintering
Properties of vacuum sintered duplex stainless steels, 286
Value analysis
Chosen aspects of evaluation of productive processes on the example of productive chains of sections type V29, 770
Vessel stents
Experimental and numerical biomechanical analysis of vascular stent, 1263
Vibration analysis
Physical and geometrical data acquiring system for vibration analysis software, 1444
Modelling of mechanical systems vibrations by utilisation of GRAFSIM software, 1466
Vickers hardness
Compression spinning of circular magnesium tube using heated roller tool, 540
Vickers microhardness
Optical and mechanical properties of an Al–Mg alloy processed by ECAE, 317
VIM
NiTi SMA production using ceramic filter during pouring the melt, 116
Virtual manufacturing
Intelligent interface in a flexible production environment, 1309
Virtual simulation
Testing device for electrical car networks, 1452
Vitrified CBN grinding wheel
Absorbed energy in laser truing of a small vitrified CBN grinding wheel, 1128

Warm sheet forming
Modelling of formula for flow stress of a magnesium alloy AZ31 sheet at elevated temperatures, 1258
Waste
The assessment of possibilities for utilisation of composites with thermosetting matrix, 96
Water bottle
Development of collapsible PET water fountain bottles, 83
Water jet impingement erosion
Machining of nickel-base, Inconel 718, alloy with ceramic tools under finishing conditions with various coolant supply pressures, 609
Wavelet transform
A problem of emphasizing features of a surface roughness by means the Discrete Wavelet Transform, 1410
WC–Co Composite
ED machining of WC–Co, 637
Wear plate 4666 CDP
A study of worn wear plates of fan blades of steel mill fumes suction system, 1062
Wear plates
The study of properties of Ni–W_2C and Co–W_2C powders thermal sprayed deposits, 1068
Wear resistance
Structure and properties of wear resistance PVD coatings deposited onto X37CrMoV5-1 type hot work steel, 843
Wear
Adhesive wear behaviour of B_4C and SiC reinforced 4147 Al matrix composites (Al/B_4C–Al/SiC), 71
Material removal rate and electrode wear study on the EDM of silicon carbide, 889
Wear-coefficient
A methodology for the prediction of standard steady-state wear coefficient in an aluminium-based matrix composite reinforced with alumina particles, 139
Weld-bead profile
Effect of laser welding parameters on the heat input and weld-bead profile, 978
Welded steel structure
The FEM analysis of the behavior of a welded column–joist joint under seismic loading, 1269
Welding heat input
The influence of welding heat input on submerged arc welded duplex steel joints imperfections, 1082
Welding zone
Welding and environmental test condition effect in weldability and strength of Al alloy, 1038
Welding
A neutron diffraction study of residual stress due to welding, 1099
The use of Nd:YAG laser weld for large scale volume assembly of automotive body in white, 1120

Wetting
Simulation of solidification process for composite micro-region with incomplete wetting of reinforcing particle, 1181
Whiskers
Cutting properties of the Al_2O_3 + $SiC_{(w)}$ based tool ceramic reinforced with the PVD and CVD wear resistant coatings, 924
Widmannstätten's shape
The influence of hypereutectoid cementite morphology upon fracture toughness of chromium–nickel–molibdenium cast steel of ledeburite class, 336
Wire drawing
Deformation analysis of surface flaws in stainless steel wire drawing, 579
Comparison between finite element method and analytical methods for studying wire drawing processes, 1218
Wood-based composites
Characterisation of the wear behaviour of polycrystalline diamond (PCD) tools when machining wood-based composites, 665
Wrinkling
Influence of resin dies and resin auxiliary sheets on deep drawability of metal foil, 530
Experimental and numerical simulation of tube hydroforming (THF), 1140

X37CrMoV5-1
Structure and properties of wear resistance PVD coatings deposited onto X37CrMoV5-1 type hot work steel, 843
X-FEM
Modeling of pressure-sensitive materials using a cap plasticity theory in extended finite element method, 1248
XPS
Influence of the anodic oxidation on the physicochemical properties of the Ti6Al4V ELI alloy, 163
XRD
Microstructure of Ni(Cr)–TiC–Cr_3C_2–Cr_7C_3 composite powder, 15
Crystallization in $Fe_{76}X_2B_{22}$ (X = Cr, Zr, Nb) amorphous alloys, 203
6*xxx* series Al alloys
Influence of heat treatment on the microstructure and mechanical properties of 6005 and 6082 aluminium alloys, 367

Yield and tensile strength
Influence of an appropriate balance of the alloying elements on microstructure and on mechanical properties of nodular cast iron, 293
Yield point
Methodology of the mechanical properties prediction for the metallurgical products from the engineering steels using the Artificial Intelligence methods, 1500
Yield strength
The influence of niobium and aging treatment in the 18% Ni maraging steel, 342

Zener pinning pressure
Effect of Al_3Sc precipitate on the microstructural evolution during accumulative roll bonding in Al–0.2 wt.% Sc alloy, 355